

## INDEX TO VOLUME LIX

The Index for Volume 59 consists of three parts: (1) Subject Index, (2) Fungous Taxa Index, and (3) Host Index.

### SUBJECT INDEX

The Subject Index includes authors, titles, key words of titles and other subject matter, biographies, reviews, notices, etc.

- Abnormal cell behavior in the heterothallic myxomycete *Didymium iridis* 235
- Adiaspiromycosis in small mammals of New Mexico 513
- Africa, spores in lake sediments 397
- Agar culture of *Licea biforis* 423
- Agaric spore-prints 544
- Agonomycetes 925
- AIBS emeritus biologists program; notice 1113
- Ainsworth, G. C. The pattern of mycological taxonomic literature 925
- , and A. S. Sussman (ed.). The fungi: an advanced treatise. Vol. II. The fungal organism; review 744
- Airborne bacteria, diurnal periodicity 714
- Ajello, Libero, and Shu-Lan Y. Cheng. A new geophilic Trichophyton 255
- , and ———. Sexual reproduction in *Histoplasma capsulatum* 689
- Aldrich, Henry C. The ultrastructure of meiosis in three species of *Physarum* 127
- Aleuriospore formation in four related *Aspergillus* species 318
- Alexopoulos, Constantine J. See Wollman and Alexopoulos 423
- . Taxonomic studies in the Myxomycetes I. The genus *Macbrideola* 103
- . Einführung in die Mykologie; review 383
- Algae
  - Ceratium 411
  - Chara 885
  - Dinobryon 411
  - Gomphosphaeria 411
  - Pediastrum 411
  - Peridinium 411
  - Sphaerocystis 411
- Ambrosia fungi: a taxonomic revision, and nutritional studies of some species 976
- Ames, Lawrence Marion; biography 187, portrait 188, publications 191
- Aminopeptidases in *Aspergillus* 330
- Amoeboid cells from the plasmodium of a Myxomycete 725
- Angiosperms 903
  - Abies lasiocarpa* 903
  - Arctostaphylos uva-ursi* 903
  - Grossularia* 903
  - Juniperus communis* 903
  - Picea engelmannii* 903
  - Pinus flexilis* 903
  - Populus deltoides* 893
  - Salix* 903
  - Salix interior* 893
- Animal
  - Hylurgops palliatus* 931
  - Ips typographus* 928
  - Pityogenes chalcographus* 931
  - Psammecinus miliaris* 762
- Annual review of phytopathology. Vol. 4; review 557
- Antheridium, falcate, in *Pythium* 870
- Apothecium, initiation and development of, in *Diplocarpon maculatum* 623
- Aquatic Phycomycetes 524
- Aragaki, Minoru, Ross D. Mobley, and Richard B. Hine. Sporangial germination of *Phytophthora* from papaya 93
- Arnold, Ruth Horner. The Nectriella element of "Hyaladodthis" 246
- Aronson, Jerome M. See Cooper and Aronson 658
- Ascomycetes 897
- Ascospore formation 1018
- Ascus cytology 295
  - Stephensia* 819
  - Trichobolus* 295
- Ascus septum, fine structure 527

- Aspen fungi 1102  
 Atypical and typical germination of uredinoid teliospores of *Hemileia vastatrix* 918
- Backus, M. P. See Gochenaur and Backus 893  
 ———. See Stowell and Backus 623  
 Bacteria, airborne 714  
 Baker, G. See Cooke et al. 519  
 Banana, Myxomycetes on, 935  
 Baker, Kenneth F. See Horsfall and Baker 557  
 Barnett, H. L. See Griffith and Barnett 149  
 Barron, G. L. *Torulomyces* and *Monocillium* 716  
 Basidiomycetes cultures 192  
   mycoparasitism of 149  
 Batra, Lekh R. *Ambrosia* fungi: a taxonomic revision, and nutritional studies of some species 976  
 Baxter, Dow V.; biography 565, *portrait* 566  
 Baxter, John W. See Cummins and Baxter 367  
 Benthic and planktonic *Phycomycetes* from northern Michigan 405  
 Benthic fungi 406  
 Bertaux, André. *Les Cortinaires*; review 749  
 Biesbrock, J. A., and Floyd F. Hendrix, Jr. A taxonomic study of *Pythium* irregular and related species 943  
 Bigelow, Howard E. See Cooke et al. 910  
 Bigelow, Margaret E. Barr. See Cooke et al. 910  
 Biogenic radiation 568  
 Biographies:  
   Ames, Lawrence Marion 187  
   Baxter, Dow V. 565  
   Gilman, Joseph C. 939  
 Birdsfoot trefoil diseases 970  
 Bish, J. T., and A. Sarachek. Influences of temperature and adenine concentration upon the cultural instability of a red adenine auxotroph of *Candida albicans* 671  
 Bistis, George N. [Review of] Genetics of sexuality in higher fungi 384  
 Bonar, Lee. Studies on *Deuteromycetes* 596  
 Boone, D. M. See Friend and Boone 533  
 Botanical Latin; review 183  
 Brandt, W. H. Influence of near-ultraviolet light on hyphal elongation in *Verticillium* 736  
 British rust fungi; review 382
- Brito, Thales de. See Furtado et al. 286  
 Brodie, Harold J. New record of a large *Cyathus* from western Canada 532  
 Butler, E. E. See Webster and Butler 212  
 Butterfield, Winifred. See Goos et al. 58  
 ———. See Davis and Butterfield 935
- Campbell, W. A. See Papa et al. 589  
 ———, and F. F. Hendrix, Jr. A new heterothallic *Pythium* from southern United States 274  
 Canker of Russian olive 535  
 Capillitium, morphology 105  
 Carbohydrate effect on *Archangium* 1059  
 Carbon-nitrogen ratio 953  
 Carmo-Sousa, Lidia do, and N. van Uden. Reisolation of *Sarcinomyces inkin* and its transfer to the genus *Trichosporon* 653  
 Carotenogenesis 1069  
 Carranza, J. M., and E. S. Luttrell. An undescribed species of *Exosporium* on grain of *Secale cereale* 1097  
 Carroll, George. The fine structure of the ascus septum in *Ascodesmis sphaerospora* and *Saccobolus kerneri* 527  
 Carter, J. C., and Charles M. Sacamano. *Fusicoccum* canker, a new disease of Russian olive 535  
 Cavostelidae 7  
 Cell behavior in *Didymium iridis* 235  
 Cellulose production 965  
 Cell wall structure of *Pythium debaryanum* 658  
 Central American *Pezizales*. II. The genus *Cookeina* 306  
 Characterization of fungus spore populations of crop residues by direct observation and plating of comminuted residue 921  
 Cheng, Shu-Lan Y. See Ajello and Cheng 255, 689  
 Chytridiomycetes 925  
 Clavarioid fungi 39, 456  
 Clavarioid fungi described by Charles Horton Peck 767  
 Coelomycetes 925  
 Colchicine 431  
 Collins, R. P., and K. Kalnins. Production of keto acids by *Ceratocystis fagacearum* and *Ceratocystis coerulescens* 722  
 Colony type in *Ceratocystis fimbriata* 222

- Color in *Ceratocystis fimbriata* 222  
 Coloured illustrations of rare and interesting fungi I; review 751  
 Comments on *Suillus amabilis* and *Suillus lakei* 361  
 Comparison of cellulose production in the genus *Ceratocystis* 965  
 Conant, Norman F. The role of the mycologist in medicine 30  
 Conidia, production in *Stemphylium solani* 732  
 Conidial state of *Peziza brunneoatra* 932  
 Conspecificity of *Basidioradulum* (*Radulum*) *radula* and *Corticium hyd-nans* 192  
 Control of tarsonemid mites in fungal cultures 600  
 Cooke, Wm. Bridge. The 1961 Indiana foray 375  
 Cooke, Wm. Bridge, G. Baker, and C. M. Leach. The 1962 Oregon foray 519  
 Cooke, Wm. Bridge, Margaret E. Barr Bigelow, and Howard E. Bigelow. The 1963 Massachusetts foray 910  
 Cooper, Barbara A., and Jerome M. Aronson. Cell wall structure of *Pythium debaryanum* 658  
 Corner, E. J. H. A monograph of cantharelloid fungi; review 555  
 Cortinares; review 749  
 Cranberry, *Dasyscyphus* on 533  
 Cross-fertile strains in *Ceratocystis fimbriata* 212  
 Crown rot of birdsfoot trefoil 970  
 Cultural studies of *Polyporus meliae* and two similar species 1050  
 Cultures  
     aquatic *Phycomycetes* 524  
     *Basidiomycetes* 192  
     control of tarsonemid mites in 600  
     Preparation (dried reference) 541  
     *Licea biforis* 423  
     *Myxomycetes* 935  
     survival 733  
 Culture sterility in *Ceratocystis fimbriata* 212  
 Cummings, R. J. See Ross and Cummings 725  
 Cummins, George B. [Review of] British rust fungi 382  
     — See Greene and Cummins 47  
     —, and John W. Baxter. *Dipyxis*, a new genus of Uredinales 367  
 Cunningham, G. H. *Polyporaceae* of New Zealand; review 560  
 Cutter, Elizabeth G. (ed.). Trends in plant morphogenesis; review 751  
*Cyphelium sancti-jacobi*, perfect or imperfect? 548  
 Cytological and morphological studies of a new species of *Phlyctochytrium* 1085  
 Cytology  
     *Armillaria* 370  
     *Diplocarpon* 623  
     *Hemileia* 279  
     *Hypoxyton* 295  
     *Phlyctochytrium* 1085  
     *Pyronema* 1018  
     *Saprolegnia* 431  
     *Stephensia* 819  
 Cytophotometry of nucleolar and cytoplasmic ribonucleic acid and basic protein in the plasmodial slime mold *Physarum pusillum* 757  
  
*Dasyscyphus virgineus* on dead cranberry stems 533  
 Davidson, R. W. See Hinds and Davidson 1102  
 Davidson, Ross W., Helene Francke-Grosmann, and Aino Käärrik. A restudy of *Ceratocystis penicillata* and report of two American species of this genus from Europe 928  
 Davis, Elmer E. See Goos et al. 58  
     —, and Winifred Butterfield. *Myxomycetes* cultured from the peel of banana fruit 935  
 De Groot, R. C. Impaction patterns of small fungus spores collected on edges of microscope slides exposed in intermittent rotoslide samplers 739  
 Denison, William C. Central American *Pezizales*. II. The genus *Cookeina* 306  
 Deuteromycetes 596  
 Dhillon, S. S. See Thind and Dhillon 463  
 Diehl, William W. Lawrence Marion Ames (1900-1966); biography 187  
*Dipyxis*, a new genus of Uredinales 367  
 Discomycetes 925  
*Dianemaceae* 1075  
 Disease (canker) of Russian olive 535  
 Dissing, Henry, and Morten Lange. Notes on the genus *Helvella* in North America 349  
 Diurnal periodicity in airborne bacteria 714  
 Duncan, E. G., and J. A. Macdonald. Micro-evolution in *Auricularia auricula* 803  
  
 Ecology  
     *Herpotrichia* 902  
     Soil fungi 893

- Effect of warming rates on the viability of frozen fungous spores 58
- Einführung in die Mykologie; review 383
- Electron microscopy  
*Armillaria* 370  
*Ascodesmus* 527  
*Paracoccidioides* 286  
*Physarum* 127  
*Pyronema* 1018  
*Saccobolus* 527  
*Smittium* 172  
*Sporobolomyces* 337
- Electrophoretic survey of esterases, phosphatases, and leucine aminopeptidases in mycelial extracts of species of *Aspergillus* 330
- Emeritus biologists program; notice 1113
- Erbisch, Frederic H. *Cyphelium sancti-jacobi*, perfect or imperfect? 548
- Ergosterol and the ultraviolet requirement for production of conidia in *Stemphylium solani* 732
- Errata 1115
- Erwin, D. C., and J. M. Kraft. Plant pathogenic fungi; review 553
- Esser, Karl, and John R. Raper [ed.]. Incompatibility in fungi; review 552
- Esterases in *Aspergillus* 330
- Evaluation of taxonomic characters in the genus *Conidiobolus*, with key to known species 698
- Falcate antheridia in *Pythium* 870
- Farr, David F., and Robert W. Lichtwardt. Some cultural and ultrastructural aspects of *Smittium culisetae* (Trichomycetes) from mosquito larvae 172
- Farr, Marie L. (translator). Einführung in die Mykologie; review 383
- Fatty-acids, even-chain 878
- Fidalgo, Maria Eneyda Pacheco Kauffmann. See Fidalgo and Fidalgo 833
- Fidalgo, Oswaldo. Ultrasounds applied to the study of hyphal systems in *Polyporaceae* 545
- , and Maria Eneyda Pacheco Kauffmann Fidalgo. *Polyporaceae* from Trinidad and Tobago. II 833
- Fields, William G. [Review of] Incompatibility in fungi 552
- Financial report, Mycologia 1116
- Fine structure of ascospore formation in *Pyronema domesticum* 1018
- Fine structure of the ascus septum in *Ascodesmis sphaerospora* and *Saccobolus kerverni* 527
- Finley, David E. *Virgatospora*: a new genus of Stilbellaceae 538
- First occurrence of *Thermoascus aurantiacus* from animal and human sources 927
- Foray, 1961 Indiana 375; 1962 Oregon 519; 1963 Massachusetts 910
- Formation of amoeboid cells from the plasmodium of a myxomycete 725
- Francke-Grosmann, Helene. See Davidson et al. 928
- Freymüller, Edna. See Furtado et al. 286
- Friend, R. J., and D. M. Boone. *Dasyscyphus virgineus* on dead cranberry stems 533
- Frozen fungous spores 58
- Fungal cultures, control of tarsonemid mites in 600
- Fungi: an advanced treatise. Vol. II. The fungal organism; review 744
- Fungi Imperfecti 897
- Dematiaceae 897
- Melanconiales 897
- Moniliaceae 897
- Penicillia 897
- Sphaeropsidales 897
- Tuberculariaceae 897
- Fungicolous fungi 246
- Fungus cultures under mineral oil 733
- Fungus spores in east African lake sediments. V. 397
- Furtado, João S., Thales de Brito, and Edna Freymüller. Structure and reproduction of *Paracoccidioides loboii* 286
- Fusicoccum canker, a new disease of Russian olive 535
- Gallegly, M. E. See Leal et al. 953
- Gams, Helmut. Kleine Kryptogamenflora, Vol. III. Die Flechten; review 746
- Garber, E. D. See Neilson and Garber 330
- Gasteromycetes 925
- Genetics  
*Auricularia* 804  
*Ceratocystis* 212, 222  
*Didymium* 235
- Genetics of sexuality in higher fungi; review 384
- Geophilic Trichophyton 255
- Gerdemann, J. W. [Review of] Annual review of phytopathology. Vol. 4 557
- Germination  
 sporangia 93  
 uredinoid teliospores 918
- Gilman Joseph C.; biography 939, portrait 940
- Gochenaour, S. E., and M. P. Backus. Mycoecology of willow and cotton-

- wood lowland communities in southern Wisconsin. II. Soil microfungi in the sand-bar willow stands 893
- Goos, R. D. Observations on *Riessia semiophora* 718
- , Elmer E. Davis, and Winifred Butterfield. Effect of warming rates on the viability of frozen fungous spores 58
- Gordon, Morris A. See Little and Gordon 733
- Greene, H. C. and George B. Cummins. *Puccinia holcina* and *P. poarum* redefined 47
- Griffith, N. T., and H. L. Barnett. Mycoparasitism by Basidiomycetes in culture 149
- Grouping of spores in agaric spore-prints 544
- Growth
- Corollospora* 446
- Schizophyllum* 610
- Growth and oxygen-uptake responses of *Cunninghamella echinulata* on even-chain fatty acids 878
- Handbook of the larger British fungi; review 559
- Hedrick, L. R. [Review of] The life of yeasts 553
- Helotiales of India—VI 467
- Hemiascomycetes 925
- Hemibasidiomycetes 925
- Henderson, D. M. See Wilson and Henderson 382
- Hendrix, F. F., Jr. See Campbell and Hendrix 274
- , See Papa et al. 589
- Hendrix, Floyd F. Jr. See Biesbrock and Hendrix 943
- Hendrix, James W. Light-cholesterol relationships in morphogenesis of *Phytophthora palmivora* and *P. capsici* sporangia 1107
- Hennen, Joe F. New records, taxa, and notes on high altitude, west American rust fungi 264
- Henney, Mary R. The mating type system of the myxomycete *Physarum flavicomum* 637
- Hennig, Bruno. Taschenbuch für Pilzfreunde; review 750
- Heterothallic myxomycete 235
- Heterothallic *Pythium* from southern United States 274
- Heterothallic species of *Phytophthora* 161
- Heterothallism
- Chaetomium* 580
- Pythium* 589
- High altitude, west American rust fungi 264
- Hinds, T. E., and R. W. Davidson. A new species of *Ceratocystis* on aspen 1102
- Hine, Richard B. See Aragaki et al. 93
- Hormone-like substances which increase carotenogenesis in + and - sexes of *Choanephora cucurbitarum* 1069
- Horsfall, James G., and Kenneth F. Baker (ed.). Annual review of phytopathology. Vol. 4; review 557
- How to control plant diseases in home and garden; review 561
- Human pathogen, *Paracoccidioides loboi* 286
- Hymenomycetes 925
- Hyphae, special extensions 417
- Hyphal systems in Polyporaceae 545
- Hypoxylon multiforme: cytology of the ascus 295
- Hyphomycetes 925
- Impaction patterns of small fungus spores collected on edges of microscope slides exposed in intermittent rotoslide samplers 739
- Incompatibility in fungi; review 552
- India
- Helotiales 467
- Lambertella 117
- Myxomycetes 463
- Indiana foray 375
- Infertility studies 192
- Influence of near-ultraviolet light on hyphal elongation in *Verticillium* 736
- Influences of temperature and adenine concentration upon the cultural instability of a red adenine auxotroph of *Candida albicans* 671
- Ingold, C. T., and M. H. Zoberi. Grouping of spores in agaric spore-prints 544
- Inheritance of sexuality, color and colony type in *Ceratocystis fimbriata* 222
- Insects associated with ambrosia fungi 976
- Isolation and pure culture of aquatic Phycomycetes by membrane filtration 524
- Johnson, G. T. See Lewis and Johnson 878
- , See Talburt and Johnson 492
- Käärik, Aino. See Davidson and et al. 928

- Kalnins, K. See Collins and Kalnins 722
- Keratinophilic fungi 255
- Kernel smudge of rye 1097
- Keto acids in *Ceratocystis fagacearum* and *Ceratocystis coerulescens* 722
- Keys
- Ambrosia fungi, genera 981
  - Ambrosiella species 986
  - Cavostelium species 7
  - Conidiobolus species 710
  - Cookeina species 309
  - Dianema species 1084
  - Raffaella species 1010
  - Helvella species 359
  - Hymenochaete, West Indian species 1039
  - Lycogala species 158
  - Macbrideola species 112
  - Protostelida families and genera 6
  - Protostelium species 15
  - Puccinia hydrophylli subspecies 266
  - Puccinia russa varieties 270
  - Schizoplasmodium species 11
  - Ulocadium species 77
- Kilpatrick, R. A., and E. S. Luttrell. An undescribed species of *Curvularia* pathogenic to *Dichanthium annulatum* 888
- Kirk, Paul W., Jr. Morphogenesis and microscopic cytochemistry of marine pyrenomycete ascospores; review 747
- Kleine Kryptogamenflora, Vol. III. Die Flechten; review 746
- Koevenig, James L. [Review of] Trends in plant morphogenesis 751
- Korf, Richard P. [Review of] Einführung in die Mykologie 383
- Kowalski, Donald T. Observations on the Dianemaceae 1075
- . Two new members of the Physarales 167
- Kraft, J. M. See Erwin and Kraft 553
- Kramer, C. L. See Pady and Kramer 714
- Laboulbeniomycetes 925
- Lamb, I. Mackenzie. [Review of] Kleine Kryptogamenflora, Vol. III. Die Flechten 746
- Lange, Morten. [Review of] A preliminary account of the North American species of *Rhizopogon* 384
- . See Dissing and Lange 349
- Langeron, M., and R. Vanbreuseghem. Outline of mycology; review 386
- Larsh, Howard W. See Pore and Larsh 318, 927
- Leach, C. M. See Cooke et al. 519
- Leal, J. Antonio, M. E. Gallegly, and Virgil Greene Lilly. The relation of the carbon-nitrogen ratio in the basal medium to sexual reproduction in species of *Phytophthora* 953
- Leathers, Chester R., and Alexander H. Smith. Two new species of clavarioid fungi 456
- Leppik, E. E. Some viewpoints on the phylogeny of rust fungi. VI. Biogenic radiation 568
- Leucine aminopeptidases in *Aspergillus* 330
- Lewis, Harold L., and G. T. Johnson. Growth and oxygen-uptake responses of *Cunninghamella echinulata* on even-chain fatty acids 878
- Lichen 548
- Lichtwardt, Robert W. [Review of] Sourcebook of laboratory exercises in plant pathology 938
- . See Farr and Lichtwardt 172
- . Zygosporangia and spore appendages of *Harpella* (Trichomyces) from larvae of Simuliidae 482
- Life cycle in *Hemileia vastatrix* 279
- Life of yeasts; review 553
- Light-cholesterol relationships in morphogenesis of *Phytophthora palmivora* and *P. capsici* sporangia 1107
- Lilly, Virgil Greene. See Leal et al. 953
- . See Vail et al. 1069
- Little, George N., and Morris A. Gordon. Survival of fungus cultures maintained under mineral oil for twelve years 733
- Loculoascomycetes 925
- Lowe, Josiah L. Polyporaceae of North America. The genus *Poria*; review 562
- . [Review of] Polyporaceae of New Zealand 560
- Luttrell, E. S. See Carranza and Luttrell 1097
- . See Kilpatrick and Luttrell 888
- Lycogala exiguum* 155
- Macdonald, J. A. See Duncan and MacDonald 803
- McDonald, James C. Studies on the genus *Archangium* (Myxobacterales). II. The effect of temperature and carbohydrates on some physiological processes 1059
- McKay, Hazel H. Cultural studies of *Polyporus meliae* and two similar species 1050
- MacWithey, H. S. Characterization of fungus spore populations of crop

- residues by direct observation and plating of comminuted residue 921
- Malloch, David. A new genus of Mucorales 326
- Martin, G. W. *Lycogala exiguum* 155
- Massachusetts foray 910
- Mating type system of the myxomycete *Physarum flavicomum* 637
- Mechanism of sex in *Phragmidella heterophragmae* (Uredinales) 585
- Media, rape seed extract agar 161
- Medical mycology 30, 286, 927
- Medium, basal  
  *Phytophthora* 953
- Meiosis in *Physarum* 127
- Method for preparing dried reference cultures 541
- Meyers, S. P., and E. Scott. Thallasiomycetes. X. Variation in growth and reproduction of two isolates of *Corollospora maritima* 446
- Meyers, Samuel P. [Review of] Morphogenesis and microscopic cytology of marine pyrenomycete ascospores 747
- Michigan Phycomycetes 405
- Microaerobic growth in *Schizophyllum commune* 610
- Micro-evolution in *Auricularia auricula* 803
- Miles, Philip G. See Schwalb and Miles 610
- Miller, Bryan E. See Taylor et al. 513
- Miller, Charles E. Isolation and pure culture of aquatic Phycomycetes by membrane filtration 524
- Miller, M. W. See Phaff et al. 553
- Miller, Orson K., Jr. Notes on western fungi. I. 504
- Mitotic apparatus in the rhizomorph meristem of *Armillaria mellea* 370
- Mobley, Ross D. See Aragaki et al. 93
- Monograph of cantharelloid fungi; review 555
- Morphogenesis and microscopic cytology of marine pyrenomycete ascospores; review 747
- Morphogenesis of *Schizophyllum commune*. II. Effect of microaerobic growth 610
- Morphology  
  *Auricularia* 812  
  Myxomycetes 104  
  *Paracoccidioides* 286  
  *Phlyctochytrium* 1085  
  *Phytophthora* 1107  
  *Sporobolomyces* 337
- Morphology and cytology of *Diplocarpon maculatum* on *Crataegus*. II. Initiation and development of the apothecium 623
- Morris, Clifton. See Vail et al. 1069
- Mosquito larvae 172
- Motta, Jerome J. A note on the mitotic apparatus in the rhizomorph meristem of *Armillaria mellea* 370
- Mrak, E. M. See Phaff et al. 553
- Mucorales, new genus 326
- Mycelia sterilia 606
- Mycetozoa 1
- Mycocology of willow and cottonwood lowland communities in southern Wisconsin. II. Soil microfungi in the sand-bar willow stands 893
- Mycologia-financial report 1116
- Mycologists  
  Group photographs  
    Indiana foray 377  
    Massachusetts foray 911  
    Oregon foray 521  
  Portraits  
    Ames, L. M. 188  
    Baxter, D. V. 566  
    Gilman, J. C. 940  
    Olive, Lindsay S. 59(1): frontisp
- Mycoparasitism by Basidiomycetes in culture 149
- Mycosis 286
- Myxobacterales 1059
- Myxomycetes 103, 925  
  formation of amoeboid cells from the plasmodium 725  
  heterothallic 235  
  meiosis 128  
  plasmodium 423
- Myxomycetes cultured from the peel of banana fruit 935
- Myxomycetes of India—XVIII 463
- Nealson, K. H., and E. D. Garber. An electrophoretic survey of esterases, phosphatases, and leucine aminopeptidases in mycelial extracts of species of *Aspergillus* 330
- Nectriella element of "Hyaladothis" 246
- New genus of Mucorales 326
- New genus of Stilbellaceae 538
- New geophilic *Trichophyton* 255
- New heterothallic *Pythium* from southern United States 274
- New Mexico adiaspiromycosis 513
- New record of a large *Cyathus* from western Canada 532
- New records, taxa, and notes on high altitude, west American rust fungi 264
- New species of *Anixiopsis* 475
- New species of *Ceratocystis* on aspen 1102
- New species of *Clavulina* 39

- New taxa of west American rust fungi 264
- New type of nuclear life cycle in *Hemileia vastatrix* 279
- Nobles, Mildred K. Conspecificity of *Basidioradulum* (*Radulum*) *radula* and *Corticium hydians* 192
- North American Flora; notice 1112
- North American *Helvellas* 349
- Note on the mitotic apparatus in the rhizomorph meristem of *Armillaria mellea* 370
- Notes and brief articles 361, 519, 714, 910
- Notes on clavarioid fungi. VI. Two new species and notes on the origin of *Clavulina* 39
- Notes on the genus *Helvella* in North America 349
- Notes on high altitude, west American rust fungi 264
- Notes on western fungi. I. 504
- Notices
- AIBS emeritus biologists program 1113
- Allocation of funds to culture collections 754
- List of reviewers 186, 1115
- North American Flora 1112
- Sourcebook of methods in developmental botany 754
- Nuclear division in *Saprolegnia* as revealed by colchicine 431
- Nuclear life cycle in *Hemileia vastatrix* 279
- O'Brien, Muriel J. See Thirumalachar et al. 389
- Observations on the *Dianemaceae* 1075
- Observations on *Riessia semiophora* 718
- Occurrence of falcate antheridia in *Pythium* species, particularly in *P. irregulare* and its synonym, *P. polymorphon* 870
- Olexia, Paul D. See Petersen and Olexia 767
- Olive, Lindsay S. The *Protostelida*—a new order of the Mycetozoa 1
- Olson, Lauritz W. See Umphlett and Olson 1085
- On the ecology of *Herpotrichia nigra* 902
- Oomycetes 925
- Oospore production on *Phytophthora* 161
- Oregon foray 519
- Origin of *Clavulina* 39
- Origin of self-sterile, cross-fertile strains and culture sterility in *Ceratomyces fimbriata* 212
- Ostazeski, Stanley A. An undescribed fungus associated with a root and crown rot of birdsfoot trefoil (*Lotus corniculatus*) 970
- Outline of mycology; review 386
- Oxygen-uptake responses, *Cunninghamella* 878
- Paden, J. W. The conidial state of *Peziza brunneoatra* 932
- Pady, S. M. and C. L. Kramer. Diurnal periodicity in airborne bacteria 714
- Pant, D. C. See Tewari and Pant 117
- Papa, K. E., W. A. Campbell, and F. F. Hendrix, Jr. Sexuality in *Pythium sylvaticum*; heterothallism 589
- Papaya extract medium 93
- Paterson, R. A. Benthic and planktonic Phycomycetes from northern Michigan 405
- Patik, Clarie Marie. See Smith et al. 965
- Pattern of mycological taxonomic literature 925
- Peck, Charles Horton, Clavarioid fungi described by 767
- Penetration of wood cells by special extensions of *Pestalotia* hyphae 417
- Petersen, Ronald H. Notes on clavarioid fungi. VI. Two new species and notes on the origin of *Clavulina* 39
- , and Paul D. Olexia. Type studies in the clavarioid fungi. I. The taxa described by Charles Horton Peck 767
- Pezizales, Central America 306
- Phaff, H. J., M. W. Miller, and E. M. Mrak. The life of yeasts; review 553
- Phosphatases in *Aspergillus* 330
- Phycomycetes 524, 897
- northern Michigan 405
- Phylogeny
- cellular slime molds 26
- rust fungi 568
- Physarales 167
- Physiology
- ambrosia fungi 976
- Archangium* 1059
- Phytophthora* 953, 1107
- Pythium* 946
- Planktonic fungi 407
- Planktonic Phycomycetes from northern Michigan 405
- Plant pathogenic fungi; review 553
- Plasmodiophoromycetes 925
- Plasmodium of the myxomycete *Licea biforis* in agar culture 423
- Plectomycetes 925

- Pollack, Flora G. A simple method for preparing dried reference cultures 541
- Polyporaceae hyphal systems 545
- Polyporaceae of New Zealand; review 560
- Polyporaceae of North America. The genus *Poria*; review 562
- Polyporaceae from Trinidad and Tobago. II 833
- Pomerleau, René. [Review of] *Les Cortinaires* 749
- . [Review of] A handbook of the larger British fungi 559
- Pore, R. S., and Howard W. Larsh. Aleuriopsis formation in four related *Aspergillus* species 318
- , and ———. First occurrence of *Thermoascus aurantiacus* from animal and human sources 927
- Porospores 68
- Portraits. See Mycologists, portraits
- Preliminary account of the North American species of *Rhizopogon*; review 384
- Production of keto acids by *Ceratocystis fagacearum* and *Ceratocystis coeruleus* 722
- Protostelida—a new order of the Mycetozoa 1
- Protosteliidae 11
- Prusso, Don C., and Kenneth Wells. *Sporobolomyces roseus*. I. Ultrastructure 337
- Puccinia holcina and *P. poarum* redefined 47
- Pure culture of aquatic Phycomycetes 524
- Pyrenomycetes 925
- Raabe, Robert D. [Review of] How to control plant diseases in home and garden 561
- Radiation, biogenic 568
- Rajendren, R. B. Atypical and typical germination of uredinoid teliospores of *Hemileia vastatrix* 918
- Rajendren, Richard B. A new type of nuclear life cycle in *Hemileia vastatrix* 279
- Ramsbottom, J. A handbook of the larger British fungi; review 559
- Rape seed extract agar: a new medium for production and detection of oospores of heterothallic species of *Phytophthora* 161
- Raper, John R. Genetics of sexuality in higher fungi; review 384
- . See Esser and Raper 552
- Rare earth element effect on microbial growth 492
- Reeves, Fontaine, Jr. The fine structure of ascospore formation in *Pyronema domesticum* 1018
- , and A. L. Welden. West Indian species of *Hymenochaete* 1034
- Reid, Derek A. Coloured illustrations of rare and interesting fungi I; review 751
- Reisolation of *Sarcinomyces inkin* and its transfer to the genus *Trichosporon* 653
- Relation of the carbon-nitrogen ratio in the basal medium to sexual reproduction in species of *Phytophthora* 953
- Reproduction
- Corollospora* 446
- Histoplasma* 689
- Paracoccidioides* 286
- Phytophthora* 953
- Restudy of *Ceratocystis penicillata* and report of two American species of this genus from Europe 928
- Reviews 183, 382, 552, 744, 938
- Rhizomorph, mitotic apparatus 370
- Ritchie, Don. Penetration of wood cells by special extensions of *Pestalotia hyphae* 417
- Rogers, Jack D. Hypoxylon multi-forme: cytology of the ascus 295
- Rogerson, Clark T. [Review of] Outline of mycology 386
- Role of the mycologist in medicine 30
- Root rot of birdsfoot trefoil 970
- Rosinski, M. A. See Smith et al. 965
- Ross, Ian K. Abnormal cell behavior in the heterothallic myxomycete *Didymium iridis* 235
- , and R. J. Cummings. Formation of amoeboid cells from the plasmodium of a myxomycete 725
- Rotoslide sampler 739
- Routien, John B. A new species of *Anixiopsis* 475
- Russian olive canker 535
- Rust fungi
- phylogeny of 568
- west American 264
- Rust, James H. Jr. See Taylor et al. 513
- Sacamano, Charles M. See Carter and Sacamano 535
- Saini, S. S. See Thind and Saini 467
- Sampler, rotoslide 739
- Sarachek, A. See Bish and Sarachek 671
- Sathe, A. V. Mechanism of sex in *Phragmidium heterophragmae* (Uredinales) 585

- Satour, Mokhtar M. Rape seed extract agar: a new medium for production and detection of oospores of heterothallic species of *Phytophthora* 161
- Schwalb, Marvin N., and Philip G. Miles. Morphogenesis of *Schizophyllum commune*. II. Effect of microaerobic growth 610
- Scott, E. See Meyers and Scott 446
- Sediments, spores 397
- Seed-borne fungi  
Exosporium 1097
- Self-sterile strains in *Ceratocystis fimbriata* 212
- Seth, Hari K. Studies on the genus *Chaetomium*. I. Heterothallism 580
- Setlow, R. B. See Sproston and Setlow 732
- Sex mechanism in *Phragmidium heterophragmae* 585
- Sexual reproduction in *Histoplasma capsulatum* 689
- Sexuality  
*Ceratocystis* 222  
polypores 1050
- Sexuality in *Pythium sylvaticum*: heterothallism 589
- Shaw, C. Gardner. [Review of] Plant pathogenic fungi 553
- Shurtleff, Malcolm C. How to control plant diseases in home and garden; review 561
- Simmons, Emory G. Typification of *Alternaria*, *Stemphylium*, and *Ulocladium* 67
- Simms, Horace R. On the ecology of *Herpotrichia nigra* 902
- Simple method for preparing dried reference cultures 541
- Slifkin, Miriam K. Nuclear division in *Saprolegnia* as revealed by colchicine 431
- Smith, Alexander H. Dow V. Baxter (1898-1965); biography 565
- . [Review of] Coloured illustrations of rare and interesting fungi I 751
- . [Review of] A monograph of cantharelloid fungi 555
- . [Review of] Taschenbuch für Pilzfreunde 750
- . See Leathers and Smith 456
- , and Harry D. Thiers. Comments on *Suillus amabilis* and *Suillus lakei* 361
- , and S. M. Zeller. A preliminary account of the North American species of *Rhizopogon*; review 384
- Smith, Marilynn J., Sister Claire Marie Patik, and M. A. Rosinski. A comparison of cellulose production in the genus *Ceratocystis* 965
- Smith, Roger S. Control of tarsonemid mites in fungal cultures 600
- Soil fungi 255, 274, 893, 921
- Some cultural and ultrastructural aspects of *Smittium culisetae* (*Trichomycetes*) from mosquito larvae 172
- Some effects of rare earth elements and yttrium on microbial growth 492
- Some species of *Lambertella* from India 117
- Some viewpoints on the phylogeny of rust fungi. VI. Biogenic radiation 568
- Sourcebook of laboratory exercises in plant pathology; review 938
- Sporangial germination of *Phytophthora* from papaya 93
- Sporangium, morphogenesis 1107
- Spore appendages of *Harpella* 482
- Spore populations of crop residues 921
- Spore sampler 739
- Spores  
agaric spore-prints 544  
effect of warming rates on viability 58  
lake sediments 397
- Sporobolomyces roseus*. I. Ultrastructure 337
- Sporulation apparatus of porospores 68
- Sproston, Thomas, and R. B. Setlow. Ergosterol and the ultraviolet requirement for production of conidia in *Stemphylium solani* 732
- Srinivasan, M. C., and M. J. Thirumalachar. Evaluation of taxonomic characters in the genus *Conidiobolus*, with key to known species 698
- Stearn, William T. Botanical Latin; review 183
- Stephensia shanori*. I. Cytology of the ascus and other observations 819
- Stevenson, John A. [Review of] Polyporaceae of North America. The genus *Poria* 562
- Stilbellaceae 538
- Stowell, E. A., and M. P. Backus. Morphology and cytology of *Diplocarpon maculatum* on *Crataegus*. II. Initiation and development of the apothecium 623
- Structure and reproduction of *Paracoccidioides loboi* 286
- Studies in the genus *Tolyposporella* 389
- Studies on Deuteromycetes 596
- Studies on the genus *Archangium* (*Myxobacterales*). II. The effect of temperature and carbohydrates on some physiological processes 1059

- Studies on the genus *Chaetomium*. I. Heterothallism 580
- Survival of fungus cultures maintained under mineral oil for twelve years 733
- Talbur, Dwight E., and G. T. Johnson. Some effects of rare earth elements and yttrium on microbial growth 492
- Tarsonemid mites in fungal cultures, control of 600
- Taschenbuch für Pilzfreunde; review 750
- Taxonomic characters in the genus *Conidiobolus* 698
- Taxonomic literature 925
- Taxonomic studies in the Myxomycetes I. The genus *Macbrideola* 103
- Taxonomic study of *Pythium irregulare* and related species 943
- Taxonomic revision, ambrosia fungi 976
- Taylor, Robert L., Bryan E. Miller, and James H. Rust, Jr. *Adiaspiromycosis* in small mammals of New Mexico 513
- Teliospore, *Hemileia* 918
- Temperature effect on *Archangium* 1059
- Terms  
  plasmotomy 5  
  steliogen 6
- Tetrapolar interfertility 201
- Tewari, V. P., and D. C. Pant. Some species of *Lambertella* from India 117
- Thallassiomycetes. X. Variation in growth and reproduction of two isolates of *Corollospora maritima* 446
- Therrien, C. Dale. Cytophotometry of nucleolar and cytoplasmic ribonucleic acid and basic protein in the plasmodial slime mold *Physarum pusillum* 757
- Thiers, Harry D. See Smith and Thiers 361
- Thind, K. S., and S. S. Dhillon. The Myxomycetes of India—XVIII 463
- , and S. S. Saini. The Helotiales of India—VI 467
- Thirumalachar, M. J. See Srinivasan and Thirumalachar 698
- , Marvin D. Whitehead, and Muriel J. O'Brien. Studies in the genus *Tolyposporella* 389
- Tiffany, Lois H. Joseph C. Gilman (1890–1966); biography 939
- Tobago, Polyporaceae 833
- Torulomyces* and *Monocillium* 716
- Trends in plant morphogenesis; review 751
- Trichomycetes* 172, 482, 925
- Trinidad, Polyporaceae 833
- Two new members of the Physarales 167
- Two new species of clavarioid fungi 456
- Type studies in the clavarioid fungi. I. The taxa described by Charles Horton Peck 767
- Typification of *Alternaria*, *Stemphylium*, and *Ulocladium* 67
- Uecker, Francis A. *Stephensia shanori*. I. Cytology of the ascus and other observations 819
- Ultrasounds applied to the study of hyphal systems in Polyporaceae 545
- Ultrastructure of meiosis in three species of *Physarum* 127
- Ultrastructure 1018
- Smittium* 172
- Sporobolomyces* 337
- Ultraviolet requirement for production of conidia in *Stemphylium solani* 732
- Umphlett, Clyde J., and Lauritz W. Olson. Cytological and morphological studies of a new species of *Phlyctocytrium* 1085
- Undescribed fungus associated with a root and crown rot of birdsfoot trefoil (*Lotus corniculatus*) 970
- Undescribed species of *Curvularia* pathogenic to *Dichanthium annulatum* 888
- Undescribed species of *Exosporium* on grain of *Secale cereale* 1097
- Uredinales 585
- new genus 367
- west American 264
- Uredinoid teliospores of *Hemileia* 918
- Vaartaja, O. Occurrence of falcate antheridia in *Pythium* species, particularly in *P. irregulare* and its synonym, *P. polymorpha* 870
- Vail, William J., Clifton Morris, and Virgil Greene Lilly. Hormone-like substances which increase carotenogenesis in + and – sexes of *Chonophora cucurbitarum* 1069
- Vanbreuseghem, R. See Langeron and Vanbreuseghem 386
- van Uden, N. See Carmo-Sousa and van Uden 653
- Variation in growth and reproduction of *Corollospora maritima* 446
- Viability of frozen fungous spores 58

- Virgatospora*: a new genus of Stilbellaceae 538
- Webster, R. K. The inheritance of sexuality, color and colony type in *Ceratocystis fimbriata* 222
- , and E. E. Butler. The origin of self-sterile, cross-fertile strains and culture sterility in *Ceratocystis fimbriata* 212
- Welden, A. L. See Reeves and Welden 1034
- Wells, Kenneth. See Prusso and Wells 337
- Weresub, Luella K. [Review of] Botanical Latin 183
- West American rust fungi 264
- Western fungi 504
- West Indian species of *Hymenochaete* 1034
- Wheeler, Harry. [Review of] The Fungi: an advanced treatise. Vol. II. The fungal organism 744
- Whitehead, Marvin D. See Thirumalachar et al. 389
- Wilkinson, J. (translator) Outline of mycology; review 386
- Wilson, Malcolm, and D. M. Henderson. British rust fungi; review 382
- Wisconsin, soil fungi 893
- Wolf, Frederick A. Fungus spores in east African lake sediments. V. 397
- Wollman, Constance, and Constantine J. Alexopoulos. The plasmodium of the myxomycete *Licea biforis* in agar culture 423
- Wood cells penetration by *Pestalotia* 417
- Wood-rotting fungi 192
- Yeasts 897, 898
- Yttrium effect on microbial growth 492
- Zeller, S. M. See Smith and Zeller 384
- Zoberi, M. H. See Ingold and Zoberi 544
- Zygomycetes 925
- Zygospores and spore appendages of *Harpella* (Trichomycetes) from larvae of Simuliidae 482

## FUNGUS TAXA INDEX

The Fungous Taxa Index includes genera, infrageneric taxa, species, and infraspecific taxa. New taxa and the pages where they are published are in **bold-face type**. An attempt has been made to correct mistakes in the spelling of scientific names where mistakes occur in the text. Synonyms are indicated by italicized page numbers. Illustrations are indicated by f preceding page numbers on which legends occur.

- Absidia californica* 522; glauca 896
- Achlya* 409, 526, 589, 593, 594, 668; ambisexualis 161, 163; bisexualis 664; caroliniana 410, 414; klebsiana 409; treleaseana 410
- Acolium* 548
- Acrasis* 1; rosea 1
- Acrostalagmus* 896; albus 896
- Acrotheca acuta* 896
- Actinoplanes* 432, 438, 443
- Acytostelium* 24-27; leptosomum 1, f 23, 24
- Aecidium arcularium* 53, 55; conspicuum 53, 55; liatridis 53, 55; tussilaginis 53
- Aerobacter* 1065; aerogenes 3, 10, 13, 19, 137, 638, 1060
- Agaricus comtulus* 379; silvicola 914
- Alatospora acuminata* 381, 523
- Albugo* 373
- Aleuria cestria* 913
- Aleurisma cornis* 480; keratoniphilum 381
- Aleurocorticium candidum* 379
- Aleurodiscus* 457; candidus 379; oakesii 379
- Allescheria boydii* 694, 734
- Allomyces* 145, 374, 431; arbuscula 443
- Alternaria* 67-91, f 70, 363, f 401, 733; alternata 73, 74, f 74; chartarum 71, 88, 89; consortiale 84; harzii 80; humicola 896, 898; lanuginosa 80; radicina 90; substratialis chartarum 89; tenuis 67, 73
- Amanita* 522, 913, 914; aspera 914; bisporigera 379, 914; brunnescens 914; f pallida 914; chlorinosma 379; cinereoconica 914; crenulata 914; excelsa 914; flavoconia 914; flavorubescens 914; fulva 914; gemmata 914; inaurata 914; muscaria 194, 910; rubescens 914; spissa 914; spreata 914; vaginata 522, 914; verna 914; virosa 379, 914
- Amaurochaete atra* 912

- Amauroderma 855; brittonii f 851, 852, f 853, 855-858  
 Ambrosiella 979, 981, 982, 983, 985, 986, 1009; brunnea f 977, 980, 982, 986, f 1003, 1004, f 1005, 1014; canadensis 982, f 987; ferruginea 980, 982, 986, f 997, 1000, f 1001; gnathotrichi 982, 986, 986, f 987, f 988; hartigii 980, 982, 986, 991, f 997, 998, 999; ips 980, 982, 986; macrospora 980, 982, 986, f 1005, 1007; sulphurea 982, 986, 992, f 994, f 995; tingens 980, 982, 986; xylebori 980, 982, 985, 986, 990-992, f 991, f 993  
 Ambrosiomyces 979, 981; zeylandicus 981  
 Amoebidium 173  
 Amoebidium parasiticum 172  
 Amylaria 456; himalayensis 456  
 Amylporia lenis 914; xantha 914  
 Andothia parasitica 913  
 Anguillospora crassa 381; longissima 381  
 Anixiopsis 475-481; peruviana 475, 476; reticulisporea 476, f 477, 479; stercoraria 475  
 Anthopezia floccosa 378  
 Aphanomyces 161, 163, 408, 409, 410, 414, 922, 923; cochlioides 921, 922, 923, 924  
 Apostemidium guerniasci 913  
 Arachniotus f 401, 402, 480; aureus 522  
 Archangium 1059-1068; gephyra 1059-1066; primigenium 1059-1066; violaceum 1059  
 Arcyodes incarnata 912  
 Arcyria 935, 936; cinerea 127, 128, 378, 522, 725, 912, 935; denudata 378, 912; incarnata 128, 522, 912; nutans 378, 912  
 Armillaria mellea 370-375, f 372, f 373  
 Armillariella mellea 522  
 Arthroderma 255, 256, 257, 480; benhamiae 689, 694; ciferrii 689; glorie 257, f 258, 689; quadrifidum 33; simii 694; uncinatum 33, 694  
 Arthropryrenia littoralis 519, 524  
 Ascobolus 346, 698  
 Ascocybe grovesii 983  
 Ascodesmis f 529 1020; sphaerospora 527-532  
 Ascoidea 979, 981, 984; africana 982, 984; asiatica 982, 984; hylecoeti 980, 980, 982, 984, 984  
 Ascozonus cunicularius 823  
 Aspergillus 318-325, 330-336, 523, 600, 923, 924, 979, 998; amstelodami 322; candidus 330, 332, 333, 335; carneus 318, 319, f 321, 322, f 323, 324; cinamominus 318; clavatus 322; fischeri 330, 332, 333, 335, 523; var glabra 523; flavipes 318, 319, 320, f 321, 322, f 323, 324, 896; flavus 59, 322, 331-335, 497, 523, 734; fumigatus 322, 331-335, 501, 523, 694, 734, 896; glaucus 322; granulosus 331, 332, 333, 335; heterothallicus 331, 332, 333, 335; japonicus 523; nidulans 322, 331-335, 523; var latus 523; niger, 60, 62, 322, 331-335, 492-500, f 497, 523, 734, 878, 884, 896; niveus 318, 320, f 321, 322, f 323, 324; ornatus 331, 332, 333, 335; repens 331, 332, 333, 335; rugulosus 331, 332, 333, 334, 335; sydowi 331-335, 523; tamarii 331, 332, 333, 335; terreus 318-324, f 321, f 323, 331-335, 497, 523; var boedijnii 320; ustus 322; versicolor 322, 331-335  
 Asterina 596  
 Asterophlyctis sarcoptoides 408, 409, 411  
 Asterophora lycoperdoides 379  
 Atkinsiella 664, 665  
 Aureobasidium pullulans 523, 734, 896  
 Auricularia 379, 803, 815; auricula 803-818; fuscossuccinea 807; 810; polytricha 807, 810  
 Bactridium flavum 381  
 Bactrodesmium f 401  
 Badhamia curtisii 729; obovata 912  
 Balansa 247, 248, 251; volkensii 247, 248, 249, f 250  
 Balsamia platyspora 828  
 Barbeyella 103, 104; minutissima 104  
 Barlaea discoidea 379  
 Basidiobolus 699, 700; meristosporus 694  
 Basidioidendron cyrei 379  
 Basidioreadulum 192-211; radula 192-211, f 201, f 203, f 204, f 206, f 207  
 Beauveria 320; bassiana 523; 734, 896; densa 734; effusa 734; globulifera 734  
 Belonium 913  
 Bipolaris 891, 1100, 1101  
 Bjerkandera adusta 379  
 Blakeslea trispora 1072, 1073  
 Blastomyces dermatitidis 345, 734, 736  
 Boedijnopeziza 309; instittia 316  
 Boletellus chrysenteroides 914  
 Boletinus pictus 914  
 Boletus 522, 523; amabilis 361, f 365, f 366, 367; edulis 914; frostii 914; miniato-olivaceus 379, 914; pallidus 914; sector 839; subvelutipes 379, 914; villosus 833, 838  
 Bondarzewia 855; talpae 851  
 Botryodiplodia ulmicola 599  
 Botrytis 523; bifurcata 60-62  
 Botryosphaeria 247

- Boudierella coronata* 698  
*Bourdolia eyrei* 379  
*Broomella* 598; *miaekei* 596, f 597, 598  
*Budhamia utricularis* 128
- Calocera cornea* 379, 914  
*Calomyxa* 1076, 1080; *metallica* 1076, f 1077  
*Calvatia cyathiformis* 914  
*Calycella citrina* 913  
*Campylospora chaetocladia* 523  
*Candida* 34, 35, 998; *albicans* 34, 35, 671-688, f 674, 734; *guilliermondii* 694, 734; var *membranaefaciens* 523; *krusei* 734; *lipolytica* 734; *parapsilosis* 734; var *intermedia* 523; *pseudotropicalis* 734; *pulcherrima* 523; *stellatoidea* 35, 734; *tropicalis* 34, 734  
*Cantharellula umbonata* 914  
*Cantharellus* 39; *cibarius* 379, 914; *floc-cosus* 914; *lutescens* 379, 914; *tubaeformis* 914  
*Capnodium* f 401  
*Carpenteles javanicum* 896  
*Casaresia sphagnum* 523  
*Catenaria anguillulae* 408, 409  
*Cavostelium* 4-7, 25-28; *apophysatum* 3, 5, 7, f 9, 9-11, 15; *bisporum* 3, 7, f 9, 9, 10  
*Cephalophora irregularis* 60, 61, 62, 64, 65  
*Cephaloascus* 981, 983; *fragrans* 606, 608, 981, 983  
*Cephalosporium* 381, 523, 734, 896, 979; *acremonium* 896; *luteum* 981; *pallidum* 981  
*Ceratomyxa* 127; *fruticulosa* 127, 128, 143, 378, 912  
*Ceratocystis* 606, 664, 929, 965-969, 1102-1106; *adiposa* 968; *autographia* 968; *bicolor* 931; *coerulescens* 722-725; *dryocoetidis* 930; *europhioides* 929, 930; *fagacearum* 149, 150, 152, 231, 722-725, 965-968, f 967; *fimbriata* 149, 150, f 151, 152, 212-234, f 213, f 217, f 224, f 226, f 228, f 229, 965-968, f 967, 1102; *huntii* 929; *ips* 150; *major* 968; *moniliformis* 968, 1105; *montia* 968; *olivacea* 965-967, f 967; *penicillata* 928-932; *piceae* 968; *pilifera* 150; *populina* 1102-1106, f 1103; *radicola* 150; *tremulo-aurea* 931, 1102; *ulmi* 734, 965-968, f 967; *variospora* 722  
*Ceratostomella penicillata* 928  
*Cercospora* 896; *coalescens* 523  
*Cerographium* 913  
*Cerrina unicolor* 379, 914  
*Cetraria glauca* 524
- Chaetomium* 304, 580-584; *angustispirale* 581, 582, 583; *angustum* 580; *ater-rimum* 580; *aureum* 580; *bostry-chodes* 522, 581; *brasiliense* 581; *cochliodes* 580, 581; *crispatum* 581; *cupreum* 580; *dolichotrichum* 581; *elatum* 580, 581; *funicola* 580, 581; *gangligerum* 580, 581; *globosum* 580; *gracile* 581; *indicum* 581; *murorum* 580; *ochraceum* 581; *olivaceum* 580; *perlucidum* 581; *quadrangulatum* 581; *semen-citrulli* 581; *spinosum* 580, 581; *spirale* 580; *subspirale* 581; *subspirilliferum* 581; *succineum* 581; *trilaterale* 580  
*Chaetophoma* 896  
*Chaetoporus subacidus* 914  
*Charonectria biparasitica* 252  
*Chlorociboria rugipes* 378  
*Chlorosplenium aeruginascens* 913; *chlora* 378, 913; *olivaceum* 913; *rugipes* 913; *versiforme* 913  
*Choanephora cucurbitarum* 1069-1074  
*Choiromyces meandriformis* 828  
*Chrysosporium* 320, 475, 476; *keratino-philum* 381, 479, 480; *pannorum* 480; *pannorum* 896; *tropicum* 479, 480  
*Chytridium* 525, 1093  
*Chytriumyces hyalinus* 409, 411; *hyali-nus* 526  
*Ciboria acerina* 117  
*Ciboriella* 471  
*Cladonia* 1078; *bellidiflora* 524; *coni-ocrea* f *robustior* 524; *polydactyla* 524; *subsquamosa* 524  
*Cladosporium* 73; *carriionii* 734; *clado-sporioides* 523, 896, 898  
*Clasterosporium* f 401  
*Clastoderma* 104; *debaryanum* 104, 912  
*Clavaria* 39, 379, 522, 783, 785, 788; sect *Pxydospogus* 456; subg *Holo-coryne* 791; *abietina* 799; *acris* 768, 769; *acuta* 791; *albida* 769, 770, 789; *amethystina* 785; *amethysti-noides* 770; *argillacea* 791; *bicolor* 771, 772, 800; *botrytoides* 772, 775, 780, 790; *circinans* 773; *clavata* 774; *conjuncta* 773, 774, 790, 801; *corni-culata* 781; *coronata* 457; *cory-noides* 775; *crassipes* 776; *cristata* 42; *densa* 777, 780; *densissima* 778, 779; *divaricata* 779; *exigua* 780; *fellea* 781; *fennica* 782; *flori-dana* 42; *fumigata* 781, 782; *gracil-lima* 782; *grandis* 783, 786; *herveyi* 42, 784; *holorubella* 777; *inaequalis* 42, 786; *kunzei* 780; *lavendula* 768, 784, 785; *ligula* 791; *longicaulis* 785; *luteoalba* 783; *macouni* 786; *murrillii* 786; *muscoideus* 787; var

- obtusa 786, 787; myceliosa 787; nebulosa 768, 788; obtusissima 788, 789, 790; var minor 789; ornatipes 790; pallescens 768, 791; peckii 771, 772, 795; pilosa 41; pinophila 792; piperata 461; pistillaris umbonata 792; platyclada 793; pulchella 780; pulchra 40, 794; purpurea 788; pusilla 794; pyxidata 456; similis 795; spathulata 796, 800; stricta 779; var fumida 797; subcaespitosa 798; subtilis 787; trichopus 790; tsugina 779, 798; typhuloides 799; vernalis 774; vestitipes 771, 772, 800; xanthosperma 780, 800
- Clavariadelphus 39; **clavulinoides** 40, f 45; pistillaris 793
- Clavariopsis aquatica 523
- Clavicornona 456-462; sect **Clavicornona** 457; sect **Coronatae** 457; sect **Pyxidospogus** 457; **avellanea** 460, 461; candelabrum 460; colensoi 461; coronata 461; cristata 461; **divaricata** 458, f 459, 460; mairei 457; **piperata** 461; pyxidata 379, 457, 460, 461
- Clavulina 39-46, 785, 791; subg **Euclavulina** 42, 46; subg **Fusco-clavulina** 44, 46; amethystinoides 770, 771; castaneopes 44, 46; cinerea 771; decipiens 44, 46, 791; floridana 784; **herveyi** 42; **mutabilis** f 41, f 43, 44, 46, 791; ornatipes 790, 914; pilosa 41, 42, 784; rugosa 42, 784; vinaceo-cervina 771; zollingeri 785
- Clavulinopsis 39, 40, 42, 783; appalachiensis 783; corniculata 781, 787, 794, 796; fusiformis 794, 914; gracillima 794; laeticolor 794; macounii 786; miniata 783; pulchra 794; septentrionalis 776
- Cleptomycetes 367, 368
- Clitocybe adirondackensis 379; aeruginosa 379; candicans 379; concava 914; cyathiformis 914; illudens 914; odora 914; subditapoda 914; umbonata 914
- Clitopilus orcellus 915; prunulus 915
- Coccidioides immitis 31, 32, 514
- Cochliobolus sativus 528
- Coemansia aciculifera 522
- Coleosporium asterum 379, 915; campanulae 379; vernoniae 379
- Colletotrichum dematium 917
- Collybia 522; acervata 915; butyracea 915; butyraceus 379; coloreae 915; confluens 915; dryophila 379, 915; maculata 915; var scorzonera 915; radicata 202; velutipes 150
- Coltricia perennis 915
- Comatricha 103, 110, 111, 936; acanthodes 104; cornea 104, 105, 107, f 109, 111, 112, 113; elegans 111; erythropodia 104; fimbriata 104; lurida 104, 111; martinii 104, 105, 110, 111, 114; mirabilis 104; nigra 128, 143, 912; pulchella 104, 378; solitaria 104; suksdorfii 103; synsporos 104, 105, 110, 112, 115; typhoides 103, 111, 128, 135, 378, 522
- Conidiobolus 431, 698-713; adiaeretus 699, 702, 707, 711; **bangalorensis** 699, 702, f 705, 705, 710; brefeldianus 698, 705, 709, 710; chlamydosporus 700, 701, 707, 711; coronatus 698, 700, 707, 711; couchii 713; denaerosporus 700, 707, 708, 709; eurymitus 699, 700, 706, 710, 713; eurypus 707, 708, 709; firmipileus 707, 708, 709; globuliferus 700, 701, 707, 709, 711; gonimodes 700, 701, 702, 706, 710; heterosporus 700, 707, 708, 711, 713; humicola 705, 709; incongruus 701, 706, 710; inordinatus 701, 707, 709; khandalensis 706, 710; lachnodes 707, 708, 709; lamprauges 706, 710; licheniculus 699, 706, 710; lobatus 713; **macrosporus** 702, f 703, 706, 710; megalotocus 700, 707, 711; var indicus 707; minor 706; multivagus 707, 708, 709; mycophagus 700, 702, 706, 710; mycophilus 700, 702, 706, 710; nanodes 706, 710, 713; **nodosus** 699, 701, f 705, 705, 707, 711; osmodes 706, 710; parvus 701, 705, 708, 711; paulus 701, 706, 710; polyspermus 701, 706, 710; polytocus 700, 708, 711; pumilus 700, 708, 711; rhyssosporus 698, 700, 706, 710; rugosus 700, 706, 710; stromoideus 699, 706, 710; terrestris 699, 708, 711; thromboides 705, 709; undulatus 701, 706, 710; utriculosus 698, 702, 706, 710; villosus 698, 707
- Coniochaeta pulveracea 913
- Coniophora puteana 606; sistotremoides 522; umbrina 522
- Coniothyrium 895, 896, 898
- Conoplea sphaerica 917
- Cookeina 306-317, 402; colensoi 307, 310, f 311, 315; hindsi 312; insititia 307, 310, 316; sulcipes 307, f 308, 309, f 311, 312, 314, 315; sumatrana 313; tetraspora 316; tricholoma 307-312, f 308, f 311, f 401, 402; venezuelae 307, f 308, 310, f 311, 314, 315

- Coprinus 492, 494, 498, 915; atramentarius 915; micaceus 810  
 Cordyceps 374; capitata 522; militaris 432, 913; variabilis 913  
 Corethromyces cryptobii 378  
 Coriellus serialis 917  
 Corioliopsis fulvocinerea f 835, 842-844; gibberulosa 835; rigida 844; vittata 836  
 Coriolus barbatulus 836; floridanus 840; friesii 840; gibberulosus 835; hirsutus 915; occidentalis 833; pavonius 833, 835, 838; pinsitus 835; sector f 835, 839-842; sericeohirsutus 835; tristis 844; versicolor 379, 913, 915; vinosus 844  
 Corollospora 449-454; comata 446, f 447; cristata 446, f 447; lacera 446, f 447; maritima 446-455, f 447; trifurcata 446, f 447  
 Corticium 194, 734, 915; anceps 915; colliculosum 193, 194, f 203, 205, f 207, 208; hydnans 192-211, 193, f 207  
 Cortinarius 379; alboviolaceus 915; anomalus 915; argentatus 915; armillatus 915; bolaris 915; brunnescens 915; caninus 915; distans 915; evernius 915; obliquus 379; semisanguineus 915; vibratilis 915  
 Coryne sarcoides 522  
 Cotylidia undulata 1039  
 Craterellus cantharellus 379; cornucopioides 379, 915; lutescens 915; taxophilus 456, 457  
 Craterium 378; leucocephalum 378  
 Crepidotus 913, 915; dorsalis 915; stipitatus 915  
 Cribraria 524; intricata 378; macrocarpa 522; minutissima 912; splendens 522  
 Cronartium 573, 574; appalachianum 574; asclepiadeum 573, 574, 575; cerebrum 574; coleosporioides 573, 574; comandrae 573, 574; comptoniae 573, 574; conigenum 574; flacidum 574; fusiforme 574; himalayense 574; kamtschaticum 574, 575, 576; occidentale 573, 574, 575; quercuum 573, 574; ribicola 573, 574, 575, 576, 577; strobilinum 574  
 Crucibulum levis 379  
 Cryptococcus 37, 734; laurentii 523; neoformans 36, 734  
 Cryptonectriella 252; biparasitica 252  
 Cryptosphaeria eunomia 913  
 Cryptosporiopsis 979; diploidiodes 979; grisea 979; quercina 979; tilae 979  
 Ctenomyces 33, 480  
 Cudonia lutea 913  
 Cumminsella mirabilissima 522  
 Cunninghamella echinulata 878-887  
 Curvularia f 401, 888-892; coicis 889, 891; cymbopogi 891; cymbopogonis 889, 891, 892; geniculata 889, 892, 896; penniseti 892; **robusta 888-892**, f 890; sudanensis 889  
 Cyathus 532, 533; olla 532; fanglicus 532, f 532, 533; f dasypus 533; stercoreus 523, 533; striatus 379, 915  
 Cyindrocarpon didymum 896  
 Cyphelium 548; lucidum 550; sancti-jacobi 548-551, f 549; tigillare 550  
 Cyphella 915  
 Cystoderma 457; amianthina 915  
 Dacrymyces 915; ellisii 379  
 Daedalea aesculi 379; confragosa 150, 913; elegans 546, 547, 833, 850; microsticta 848, f 849, 850; quercina 150, 1056  
 Daedaleopsis confragosa 915  
 Daldinia concentrica 378, 913  
 Dangeardia ovata 414  
 Darluca filum 917  
 Dasyscyphus 378, 522; bicolor 522; virginella 534; virgineus 533, 534, f 534, 913  
 Deflexula 456  
 Delacroixia 700; coronata 698, 707  
 Delitschia f 401  
 Dendrodochium 917  
 Densocarpa 819; shanori 819  
 Dentinum repandum 379, 915  
 Dermea acerina 913; balsamea 913  
 Dermocystidium 525  
 Desmazierella acicola 314  
 Diachea 104; splendens 378  
 Dianema 1075, 1080; **aggregatum 1081**, f 1082, 1083, 1084; andersoni 1076; corticatum 1076, 1080; depressum 1076, 1080, f 1082, 1083, 1084; harveyi 1075, 1076; repens 1076; **subretisporium f 1077, 1080, 1083, 1084**  
 Diaporthe tiliacea 913  
 Diatrype stigma 913  
 Diatrypella 913  
 Dibotryon morbosum 913  
 Diaeoma liatridis 53  
 Dictydaethalium plumbeum 378  
 Dictydium cancellatum 128, 378, 522  
 Dictyostelium 24, 27; discoideum 610  
 Dictyuchus 589, 593, 594  
 Diderma 168, 170; subg Leangium 170; antarcticum 170; globosum 912; lyallii 170; squamulosum 378; **subincarnatum 169**, f 169, 170; testaceum 378  
 Didymium 935, 936, 1078; aurantipes 167; clavus 128; difforme 129, 637; iridis 127, 129, 135, 235-245, f 237,

- f 238, f 241, f 243, 637, 639, 642, 648, 727, 935, 936; *melanospermum* 129; *nigripes* 127, 129, 135, 139, 143, 637; var *xanthopus* 127; *squamulosum* 130
- Didymocrea sadasavanii* 830
- Diplocarpon* 633; *earliana* 633; *maculatum* 623-636, f 628, f 631, f 632; *rosae* 633; *soraueri* 633
- Diplodina* 896
- Dipodascus* 983, 985; *aggregatus* 983, 985
- Dipyxis** 367-368-370; **mexicana** 368, f 369; **viegasii** 368, 369, f 369
- Discosia* 895, 896
- Doratomyces stemonitis* 523
- Dothichiza pityophila* 522
- Dothidella janus* 522
- Drepanopeziza* 634; *salicis* 624
- Echinodontium tinctorium* 606
- Echinosporangium** 327; **transversalis** 327, f 328
- Echinostelium* 104; *cribrarioides* 110; *minutum* 912
- Emmonsia* 514; *crecens* 513-516; *parva* 513-516
- Endomyces hylecoeti* 980
- Endomycopsis* 979, 981, 984; *fasciculata* 983, 984; *fibuliger* 734; *platypodis* 983, 984
- Endoxyla* 913; *cirrhusa* 913; *operculata* 913; *parallela* 913
- Enerthenema papillatum* 522, 912
- Enslinia* 862; *lepreurii* 862
- Enteridium* 130, 378
- Enterobryus* 522
- Entomopeziza soraueri* 623, 633
- Entomophthora* 699; *coronata* 698, 707; *muscae* 706
- Entomosporium* 623-626, 630-634; *maculatum* 623, 624
- Entyloma* 393, 394; *crepidis* var *crepidis-rubrae* 395; *lobeliae* 915; *microsporium* 523; *obesa* 394; *obionum* 395; *scirpicola* 392
- Eocronartium muscicola* 915
- Epichloë volkensii* 247
- Epicoecum nigrum* 896
- Epidermophyton floccosum* 734, 736
- Eremascus* 322; *albus* 322
- Erysiphe* 417
- Escherichia coli* 3, 10, 20, 23, 235, 492-496, 500
- Everhartia lignatilis* 381
- Exidia* 698, 702, 706, 915; *alba* 379; *nucleata* 343, 379
- Exidiopsis glaira* 915
- Exosporium* 1097-1101; *ampullaceum* 1100; *cantareirensis* 1100; *extensum* 1100; *inversum* 1100; *natrassii* 1097, 1100; **pampeanum** 1097-1101, f 1098; *phyllanthum* 1100; *tiliae* 1100
- Fabraea* 624; *maculata* 623, 624, 633
- Favolus alveolaris* 379, 915
- Fistulina radicata* 378, 379
- Flavobacterium* 3, 10, 13, 19, 20, 23, 423, 428
- Fomes applanatus* 150; *fomentarius* 741, 915; *johnsonianus* 379; *meliae* 1054; *pini* 606; *pinicola* 810; *rimosus* 150; *scalaris* 847
- Fomitopsis pinicola* 522, 915; *vinosa* 844
- Fonsecaea compactum* 734; *pedrosoi* 734
- Frommea obtusa* 379, 915, 917, 921
- Fuligo septica* 130, 378, 522, 641, 913
- Fumaria villosa* 833
- Gusarium* 330, 733, 734, 922-924, 992; *episphearia* 896; *moniliforme* 896; *oxysporum* 610, 616, 896-898; *roseum* 923; *solani* 60-62, 896, 923
- Fuscoboletinus* 366
- Fusicoccum* 535-537; **elaeagni** f 536, 537; *gloeosporioides* 537
- Fusidium* 896
- Galactinia succosella* 378
- Galiella rufa* 378
- Ganoderma* 741, 742, 855; *applanatum* 379, 523, 741, 915; *lucidum* 915; *sessile* 915; *tsugae* 915
- Genea thwaitesii* 828
- Geodina* 307, 309
- Geoglossum glabrum* 913; *simile* 913; *walteri* 252
- Geomyces vinaceus* 480
- Geopyxis aluticolor* 315; *elata* 313; *vulcanalis* 522, 913
- Georgesfischeria riveae* 392
- Geotrichum* 734; *candidum* 523
- Gibberella* f 401
- Gliocladium* 523; *catenulatum* 896; *roseum* 523, 896
- Gloeophyllum berkeleyi* 833; *sepiarium* 915; *striatum* 833
- Gloeoporus dichrous* 379
- Gloeosporium* 624, 625, 896; *musarum* 60-64
- Gloeotromera pululahuana* 379
- Glomerella cingulata* 230, 232
- Glonium strobilaceum* 522
- Gomphidius subroseus* 523
- Gomphus* 39
- Gonytrichum macrocladum* 896
- Gorgoniceps* f 401
- Grifola frondosa* 380; *sumsteinei* 380
- Guignardia bidwellii* 378
- Gycocratera ploettneriana* 828
- Gymnoascus* 33, 691; **demonbreunii** 692, f 693, 694, 695

- Gymnopilus penetrans* 915; *sapineus* 915  
*Gymnosporangium globosum* 380  
*Gyrodon merulioideus* 915  
*Gyroporus castaneus* 915; *cyanescens* 915
- Hainesia lythri* 896, 898  
*Halosphaeria mediosetigera* 448, 449  
*Hansenula anomala* 522  
*Hapalopilus gilvus* 380; *rutilans* 380  
*Haplosporangium parvum* 513  
*Harpella* 482-491; *melusinae* 482, 483, 485, f 487, f 489, f 491; *var eyziesi* 489  
*Heliscus aquaticus* 523; *tentaculus* 381  
*Helminthosphaeria clavariae* 913  
*Helminthosporium* 734, 891; subg *Euhelminthosporium* 1100; *cymbopogi* 891; *sativum* 60-64, 150; *septosporum* 87, 88; *sudanensis* 889  
*Helotium* 378, 913; *chromoflavum* 472; *citrinum* 522, 913; *crocatum* 469; *deodarum* 472, f 473; *fructigenum* 378, 913; *lividofusum* 471, f 472; *mussooriensis* 469, f 470, 471; *rubroflavum* 467, f 468, 470; *scutula* 378; *serotinum* 378; *subserotinum* 471; *velhaense* 471  
*Helvella* 349-360; *acetabulum* 349; *adhaerens* 353; *albella* 350, 352; *albipes* 352; *atra* 349, f 350, 357 359; *capucinoides* 353; *connivens* 349-351-359, f 350, f 351, f 352, f 357, f 358; *corium* 349; *costifera* 349; *crispa* 349, 353; *cupuliformis* 349; *elastica* 349, f 350, 352, 353, 359, 378; 913; *ephippium* 350, f 350, 355, f 356, f 357, 357, f 358, 359, 913; *fusca* 349; *gracilis* 353; *helvellula* 350; *lactea* 349; *lacunosa* 349, 378; *latispora* 350, 352, 355, f 357; *leucomelaena* 350; *leucopus* 349, 352; *macropus* 349; *murina* 357; *palustris* 378; *panormitana* 352; *pezioides* 349, 359; *philonotis* 350; *phlebophora* 350; *queletiana* 350; *queletii* 349; *solitaria* 350; *stevensii* 349, 350, f 350, 353, f 354, 355, f 357, f 358, 359; *subclavipes* 913; *unicolor* 350; *villosa* 349, 357, 359  
*Hemileia* 279; *vastratrix* 279-285, f 280, f 281, f 283, 918-921, f 919, f 920  
*Hemitrichia clavata* 130; *serpula* 378; *stipitata* 378, 912; *vesparium* 130, 135, 378  
*Hendersonia* 895, 896  
*Hericium* 456  
*Herpotrichia* 902; *nigra* 902-909, f 904, f 907  
*Herpotrichiella moravica* 913
- Hexagona friesiana* 836; *papyracea* 833; *sericea* 835; *vittata* 836  
*Higginsia* 634; *hiemalis* 624, 633  
*Hirneola* 698, 702, 706  
*Hirschioporus abietinus* 380, 842, 915; *pargamensis* 380, 915; *versatilis* 842  
*Histoplasma capsulatum* 31, 36, 514, 689-697, f 693, 734, 736; *duboisii* 695, 696; *farcinosum* 695, 696  
*Hohenbuhelia angustata* 915  
*Hormomyces fragiformis* 381  
*Humaria hemispherica* 378, 913  
*Hyalodothis* 246-254; *caricis* 246; *clavus* 246-251, f 250; *incrusters* 246  
*Hyaloscypha* 913  
*Hydnellum scrobiculatum* *var zonatum* 915  
*Hydnobolites* 819, 829, 830  
*Hydnoporia fuscescens* 380, 915  
*Hydnotrya* 828; *cubispora* 913  
*Hydnum radula* 192, 194; *scabrosum* 915  
*Hygrophoropsis aurantiaca* 915  
*Hygrophorus angelesianus* 507, f 508; *cantharellus* 915; *ceraceus* 915; *coccineus* 915; *conicus* 915; *flaves-cens* 915; *goetzii* 507, f 508; *lactus* 915; *var marginatus* 915; *miniatus* 915; *nitidus* 915; *psitticinus* 915; *purpureofolius* 915; *schulzeri* 915  
*Hymenochaete* 913, 1034-1049; *agglu-tinans* 1042, 1043; *anomala* f 1036, 1037, 1039, 1040; *aspera* f 1036, 1037, 1039, 1040; *berkeleyana* f 1036, 1037, 1038, 1039, 1041; *cacao* f 1036, 1039, 1041; *cervina* f 1036, 1038, 1040, 1042; *corrugata* f 1036, 1037, 1039, 1042, 1043, 1049; *corticolor* 1035, 1038, 1040, 1042, 1043; *cubensis* 1045, 1046; *damaecornis* 1039, 1043; *dura* 1035, f 1036, 1038, 1040, 1044; *fuliginosa* 1039, 1044; *fulva* 1040, 1044; *leonina* 1037, 1040, 1045; *luteo-badia* f 1036, 1037-1040, 1045; *multisetae* 1039, 1046; *opaca* 1040, 1046; *pinnatifida* 1035, 1038, 1040; *reflexa* 1045, 1046; *reniformis* 1039, 1047; *rigidula* 1035, f 1036, 1037, 1040, 1047; *rubiginosa* 915, 1035, 1042, 1049; *sallei* 1039, 1048; *speciosa* 1044; *tabacina* 915; *unicolor* f 1036, 1037, 1039, 1048  
*Hyphoderma* 195, 208, 209; *radula* 193, 194; *setigera* 195, 208  
*Hyphodontia* 208; *arguta* 380  
*Hypocopia* 528  
*Hypocrea gelatinosa* 378, 913; *lactea* 378; *rufa* 378, 913; *sulphurea* 379  
*Hypocreopsis tremellicola* 913  
*Hypomyces aurantius* 522, 913; *chrysospermus* *var boletinus* 913; *chrysosostomus* 379; *hyalinus* 913; *lacti-*

- fluorum 913; polyporinus 913;  
 solani f cucurbitae 231  
 Hyponectria 247  
 Hypoxylon 299, 379, 522; sect Hypoxy-  
 lon 295; sect Papillata 295; subsect  
 Papillata 295; subsect Primo-  
 cinerea 295; cohaerens 913; deu-  
 stum 379, 522; fragiforme 379, 913;  
 fuscum 295, 303, 304, 830; investiens  
 379; mammatum 295, 913; multi-  
 forme 295-305, f 296, f 300, f 302,  
 913; pruinatum 295, 303, 304;  
 rubiginosum 379, 913; serpens 379,  
 913  
 Hysterium pulicare 913  
 Inocybe 915; geophylla 915; hystrix 915  
 Inonotus discipes 863; glomeratus 915  
 Ionomidotis irregularis 379  
 Irpex lacteus 915; mollis 150; obliquus  
 196, 197  
 Irpiciporus lacteus 380  
 Jafnea fusicarpa 913  
 Jamesdicksonia 394  
 Karschia lignyota 913  
 Keratinomyces ajelloi 33, 260, 381, 694  
 Kuehneola uredinis 523  
 Kuehneromyces vernalis 523  
 Laccaria amythestina 915; laccata 380,  
 915; ochropurpurea 915; striatula  
 915  
 Lachnea hindsii 312; tricholoma 310  
 Lactarius 913, 916; affinis 915; aspid-  
 oides 915; atroviridis 915; brevipes  
 916; camphoratus 916; chelido-  
 nioides 916; chrysorrheus 916; cin-  
 ereus 916; colorascens 916; decepti-  
 vus 916; deliciosus 916; fuliginosus  
 916; griseus 916; hygrophoroides  
 916; hypsigninus 916; insulsus 380;  
 lignyotus 916; piperatus 380, 916;  
 pyrogallus 916; rufus 916; subdulcis  
 916; subpurpureus 916; tabidus 916;  
 theiogalus 916; torminosus 916; tri-  
 vialis 916; uvidus 916; vellereus  
 916; volemus 916; zonarius 916  
 Laetiporus sulphureus 916  
 Lagenidium callinectes 100  
 Lambertella 117-126; **aurantiaca** f 119,  
 120, f 121, f 124, 125; brunneola 117,  
 125; hicoloriae 378, 379; **himalayen-  
 sis** 117, f 119, f 121, f 124; viburni  
 var **fructicola** f 119, f 121, 122, 125,  
 f 125  
 Lamproderma 103; arcyrioides 130, 135;  
 arcyronema 130, 378; fusiforme 167  
 Lamprodermopsis 1075  
 Lamprospora crec'hquercaultii 913  
 Lasiosphaeria caudata 913; hispida 913;  
 mutabilis 913; ovina 379, 913; tuber-  
 culosa 913  
 Lecanora allophana 524  
 Leccinum aurantiacum 916; chromapes  
 916; oxydabile 916; scabrum 916;  
 subglabripes 916; testaceoscabrum  
 916  
 Lentaria 792, 795; byssiseda 380, 792;  
 epichnoa 792; patouillardii 792;  
 surculus 792  
 Lentariopsis 792  
 Lentiniellus 916; cochleatus 916; vulpinus  
 916  
 Lentinus lepideus 606; ringens 504  
 Lenzites betulina 916; trabea 150, 606,  
 f 607, 608  
 Leocarpus fragilis 378, 912  
 Leotia lubrica 379, 913; viscosa 913  
 Lepidoderma 168; carestianum 912;  
 chaillietii 168; **crustaceum** 167, 168,  
 f 169  
 Leptodiscus 970; terrestris 970  
 Leptographium 896, 929; penicillatum  
 928  
 Leptomitus lacteus 410  
 Leptopodia corbieri 353, 355; murina  
 357; stevensii 353  
 Leptosphaeria 402, 896; dolium 913;  
 senegalensis 694; tompkinsii 694  
 Leucoscypha leucotricha 913  
 Licea 1079; biforis 423-430, f 425; cas-  
 tanea 912; **erecta** 463, f 464; minima  
 522, 912, 1079, 1080; operculata 464;  
 pedicellata 464; pusilla 1079, 1080  
 Lindra 449; thalassiae 449  
 Listerella 1075, 1079, 1080; paradoxa  
 1076, f 1077, 1078, 1079, 1080  
 Lobaria oregana 524  
 Lopadium pezizoideum var disciformis  
 524  
 Lopadostoma gastrinum 913  
 Lulworthia 449; floridana 448-450  
 Lunulospora curvula 381, 523  
 Lycogala 157; conicum 157, 158; epiden-  
 drum 130, 135, 155-159, f 157, 378,  
 522; var exiguum 155; var tessela-  
 tum 157; exiguum 130, 155-160,  
 f 156; flavofuscum 157, 158; mini-  
 atum var tessellatum 155  
 Lycoperdon f 401, 916; coloratum 916;  
 curtisii 916; echinatum 380; per-  
 latum 523, 916; pyriforme 523; sub-  
 incarnatum 380, 916; umbrinum 523  
 Lyophyllum montanum 507, f 510  
 Macbrideola 103-116; **cornea** f 109,  
 112; decapillata 103, 105, 107, f 108,  
 f 109, 110-113; **martinii** 112, 114;  
 scintillans 103, 105, f 106, 107, 110-  
 112, 114; **synsporos** 112, 115

- Macrolepiota procera* 916  
*Macrophomina phasoli* 971, 974  
*Macrosporium* 67; *consortiale* 67, 71, 77, 84, 85; *septosporum* 87  
*Marasmius* 380, 706, 916; *delectans* 380; *rotula* 380, 916; *siccus* 380; *urens* 380  
*Margarinomyces bubaki* 896; *luteo-viridis* 896  
*Margarita* 1075, 1076; *metallica* 1075  
*Melampsora* 264; *abieti-capraearum* 380; *arctica* 264  
*Melanconis nigrospora* 913; *stilbostoma* 913  
*Melanoleuca alboflavida* 916  
*Melanopus* 861, 865, 866; *elegans* 861, 862, 865; *guianensis* f 847, 861-866; *leprieurii* f 847, 859-862, 865  
*Melanospora caulinicola* 522; *tiffanii* 830; *zamia* 830  
*Melanotaenium* 394, 395; *ari* 393; *cinogens* 393; ***nolinae*** 391, f 393; ***sporoboli*** f 393, 394  
*Melasmia menziesii* 522  
*Meliola* f 401  
*Meripilus* 855; *giganteus* 855; *talpae* 851, f 851, f 853, 855, 856, 858  
*Merisma* 855; *talpae* 851  
*Merulius lacrymans* 602, 606, 607, 608; *rubellus* 380  
*Metarrhizium* 718; *anisopliae* 718  
*Metatrichia vesparium* 912  
*Microclava miconiae* 596, f 597  
*Microglossum rufum* 913  
*Micropera spuria* 917  
*Microporus barbatulus* 836; *consobrinus* 836; *expansus* 835; *floridanus* 840; *friesii* 839; *gibberulosus* 835; *hypothecus* 836; *ludens* 840; *mollerianus* 845; *nebularis* 840; *oniscus* 840; *pinsitus* 835; *ravenalii* 840; *sector* 839; *tener* 836; *umbonatus* 836; *villosus* 833; *vinosus* 844; *xerophylaceus* 845  
*Microsporon cookei* 33, 34; *gypseum* 33; *nanum* 33; *vanbreuseghemii* 33, 34  
*Microsporium audouinii* 734, 735; *canis* 260, 734; *cookei* 260, 689, 694; *ferrugineum* 734; *fulvum* 694; *gypseum* 260, 381, 694, 734, 735; *nanum* 694; *vanbreuseghemii* 689, 694  
*Microstoma* 307; *protracta* 307  
*Mollisia* 522, 913; *cinerea* 913; *vulgaris* 379  
*Monacrosporium* 979, 983, 985; *ambrosium* 981, 983, 985  
*Monilia* 976, 978, 985, 986; *albicans* 34; *brunnea* 980, 1004; *candida* 998, 999; *ferruginea* 523, 980, 1000; *fruticicola* 985; *fructigena* 985; *mycophila* 998  
*Monilinia* 985  
*Monocillium* 716-718; *exsolum* 717, 718; *humicola* 717; *var brunneum* 717; *indicum* 717  
*Monosporium apiospermum* 694  
*Mortierella* 522; *alpina* 896; *hygrophila* 522; *minutissima* 896; *vinacea* 522  
*Mucilago spongiosa* 127, 130  
*Mucor* 431, 522, 923; *alternans* 522; *angulisporus* 522; *fragilis* 522, 896; *hiemalis* 522, 895, 896; *microsporus* 896; *petropolitanus* 522; *plumbeus* 522; *pucillus* 928; *ramannianus* 522; *wosnessenskii* 522  
*Multiclavula* 774, 776, 792; *coronilla* 776  
*Mutinus caninus* 380, 522  
*Mycena algieriensis* 916; *haematopoda* 916; *leaiana* 380, 916; *pura* 380, 916; *rutilantiformis* 916  
*Mycocacia fusco-atra* 380  
***Mycocleptodiscus*** 970, f 972, 974; ***sphaericus*** 971, f 972, f 973, 974; ***terrestris*** 970-974, f 972  
*Mycosphaerella* f 401; *gaultheriae* 522  
*Mycotypha dichotoma* 523  
*Myrothecium* 897; *inundatum* 917; *roridum* 896  
*Mystrosporium hispidum* 80  
*Mytilidion fusisporium* 902  
*Myxococcus virescens* 1065  
*Myxosporella* 599; ***ulmicola*** 599  
*Myxosporium sanguineum* 979  
  
*Nannizzia* 33; *cajetani*, 34, 689, 694; *fulva* 694; *grubya* 34, 689, 694, 695; *gypsea* 694; *incurvata* 33, 694, 734, 735; *obtusata* 33, 694  
*Nectria* 896; *ochroleuca* 522  
*Nectriella* 246-254; ***balansiae*** 248, f 250, 251, 252, 253; *biparasitica* 252; *fuckelii* 251, 252; *geoglossi* 252; *peponum* 253; *robergei* 251  
*Nectriopsis violaceus* 913  
*Nematoloma dispersum* 523  
*Neopeckia coulteri* 902, 906  
*Neotestudina rosatii* 694  
*Neurospora* 431; *crassa* 672, 825; *sitophila* 492, 494, 498, 499, f 499, 610; *tetrasperma* 219  
*Nidula* 523; *candida* 523  
*Nigroporus vinosus* 844, f 847  
*Nocardia asteroides* 735; *brasiliensis* 735; *farcinica* 735  
*Nowakowskiella elegans* 408-411; *hemisphaerospora* 408, 409  
  
*Obelidium megarhizum* 408; *mucronatum* 408-411  
*Ochrolechia pallescens* 524

- Odontia 916; arguta 380; ciliolatum 916; lateritia 916; spathulata 380  
 Oedocephalum 934  
 Oidiendendron griseum 523  
 Oidium 934; albicans 34  
 Oligonema 378; nitens 378  
 Olpidiomorpha 1094  
 Ombrophila violacea 913  
 Ophiodothis 247, 249; volkensii 247  
 Ophionectria coccicola 597  
 Orbilia 379, 913; coccinella 913; cyathea 913; luteorubella 379; paradoxa 913; rubella 379; xanthostigma 913  
 Orbiliopsis 913  
 Ostracoderma 523  
 Otidea leporina 913  
 Oudemansiella longipes 916; radicata 380; 916  
 Oxydantia chrysorhiza 380  
 Oxyporus populinus 916  
  
 Pachyella clypeata 379, 914  
 Paecilomyces 734; carneus 896; farinosus 896; marquandii 896  
 Panellus ringens 504, f 505, 506; stypticus 380, 916; violaceofulvus 506  
 Panus ringens 504; salicinus 504, 506; violaceofulvus 506  
 Papularia sphaerosperma 896  
 Paracoccidioides brasiliensis 286, 734, 736; lobi 286-294, f 288-f 293  
 Paradiacheopsis 110, 111; cornea 112; curitibana 104, 105, 112; martinii 114  
 Paramoebidium 482  
 Parmelia enteromorpha 524  
 Parodiella f 401  
 Pasteurella pestis 513  
 Patella abundans 522  
 Paxillus atrotomentosus 523, 916; involutus 916  
 Paxina leucomelaena 350; nigrella 509, 511  
 Peltigera apthosa var variolosa 524; membranacea 524; scutata 524; venosa 524  
 Penicillium 523, 734, 895, 896, 899, 923, 924; adametzi 896-899; brevipactum 896; canescens 896, 898; chrysogenum 497; claviforme 917; corymbiferum 523; cyclopium 896; decumbens 896-899; frequentans 896; funiculosum 896; herquei 523, 896; islandicum 896; janthinellum 523, 896; lilacinum 523, 896, 898; martensii 896; megasporum 60-64; multicolor 896; nigricans 896-899; notatum 523; paxilli 896; puberulum 896; raistrickii 896; simplicissimum 523, 896-899; spinulosum 896; steckii 896; terlikowskii 896-899; thomii 896; vinaceum 896  
 Peniophora 523, 916; cinerea 380; crenea 380; cymosa 523; filamentosa 380, 381; flavido-alba 380; gigantea 606; ludoviciana 380; mutata 916; nuda 916; subincarnata 523  
 Perichaena depressa 912; vermicularis 727  
 Peritrichospora integra 446, 447, 453  
 Pertussaria waghornei 524  
 Pestalotia 417-422, f 418, 896-898; adusta 917  
 Petchiomyces 829; thwaitesii 828  
 Pezicula hamamelidis 914; livida 914  
 Peziza 914, 934; subg Galactinia 379; subg Trichoscypha 309; aluticolor 315; atrovinosa 914; boltonii 914; brunneoatra 932-934, f 933; colensoi 315; floccosa 307; griseo-rosea 914; helvelloides 357; hindsii 312; instititia 316; irina 914; michelii 379, 914; ostracoderma 150; repanda 914; succosa 379, 914; succosella 914; sulcipes 312; sylvestris 914; trachycarpa 379; tricholoma 309, 310; venezuclae 314  
 Pezizella 914  
 Phacociboria garryae 117  
 Phaenolus schweinitzii 916  
 Phellinus igniarius 916; pachyphloeus 547  
 Phellodon confluens 916; niger var alboniger 916  
 Phialea 379, 914  
 Phialophora aurantiaca 896; verrucosa 734  
**Phialophoropsis** 981, 983, **1008; trypodendri** f 977, 983, f 995, **1008**  
 Phillipsia 307, 309; tetraspora 316; venezuclae 314, 315  
 Phlebia radiata 916  
 Phlebiella vaga 380  
 Phlegomena decorticata 380  
 Phlyctochytrium 1085-1096; **dichtomum** 1085-1096, f 1087, f 1091, f 1092; punctatum 1094  
 Pholiota 523; albocrenulata 916; squarrosoides 916  
 Phoma 523, 734, 896, 898; conidiigena 3, 17, 19  
 Phragmidiella heterophragmae 585-588, f 586, f 587  
 Phragmidium ivesiae subsp wyomingense 264; occidentale 523; rosae-californicae 523  
 Phragmopyxis 367, 368; deglubens 368  
 Phycomyces 431; blakesleeana 150, 1073

- Phyllachora 598, 599; graminis 379; orbicula 596, 598; tjangkorreh 598  
 Phylloporus rhodoxanthus 380  
 Phyllosticta sassafra 381; steironematis 917; symphoricarpi 523  
 Phyllotopsis nidulans 916  
 Physarella oblonga 130, 131  
 Physarum 127-148, 378, 649, 725, 935; bethelii 649, 650; bivalve 378; cinereum 131; compressum 725, 936; didermoides 127, 131; flavicomum 131-145, f 133, f 137, f 139, f 141, f 143, f 145, 637-652, f 644, 912; globuliferum 135, f 135, 137, 143, 145, 378, 912; gyrosum 131, 936; leucophaeum 131, 522; metallicum 1075; murinum 378; nutans 378, 649, 650, 912; polycephalum 131, 135, f 135, 137, 143, 145, 637, 648, 729; pulcherripes 912; pusillum 131, 135, 641, 725, f 726, f 729, f 731, 757-766, f 760, f 761; rigidum 649, 650; superbum 465; **variegatum** 464, f 465; viride 378, 649, 650, 912  
 Phytomonas 733; sepedonica 733  
 Phytophthora 93-102, 161-166, 589, 593, 663, 667, 668, 953-964, 1107-1111; boehmeriae 161, 165; cactorum 161, 165, 954, 957, 959, 962, 963; cambivora 954, 956, 959, 963; capsici 100, 101, 161, f 162, 163, f 164, 165, 954, 956, 959, 963, 1107-1111; cinamomi 100, 953-956, 959, f 960, 963; citricola 953-959, f 958, 963; cryptogea 953-956, 959, 963; drechsleri 161, 165; erythroseptica 962; heveae 954-963, f 958; hibernalis 953-956, 959, 963; ilicis 953-956, 959, 963; infestans 101, 593; megasperma 953-956, 959, 963; palmivora 954, 956, 959, 963, 1107-1111, f 1109; parasitica 94-101, f 95, f 96, f 98, 161, 165, 1107, 1110; syringae 953-956, 959, 961, 963  
 Pichia 992; guilliermondii 694  
 Piedraia hortae 694  
 Pilacre faginea 380  
 Pileolaria brevipes 380  
 Pilocratera 309; hindsii 312; tricholoma 310  
 Pilophoron acicularie 524; hallii 524  
 Piptoporus betulinus 916  
 Pistillaria 797, 800; spathulata 796; typhuloides 799  
 Plectania nannfeldtii 509, f 510, 511; nigrella 509, 511  
 Pleospora f 401  
 Pleotrachelus wildemani 1094  
 Pleurage anserina 189  
 Pleurotus ostreatus 150, f 151, 152, 523; sapidus 916; violaceofulvus 506  
 Plicaria ferruginea 914  
 Plicaturopsis crispa 916  
 Pluteus admirabilis 916; brunneidiscus 916; cervinus 916; chrysophaeus 380; flavofuliginosus 916; granularis 916  
 Podochytrium 414  
 Pogonomyces hydroides 833  
 Polyangium violaceum 1059  
 Polyporus 838, 855, 861, 862, 866, 916, 1050, 1054; adustus 149-152; aemulans 866; alveolarius 916; arcularius 150; badius 845, 847; berkeleyi 150; betulinus 150; brittonii 852, 858; cinnabarinus 150; consobrinus 836; daedalea 842; elegans 916; expansus 835; floridanus 840, 855; friesii 839; gibberulosus 835; giganteus 380, 855; gilvus 150; glaziovii 851, 852, 856; guianensis 863, 865, 866; hemicapnodes 866; hirsutus 150; isabellinus 842; juruensis 863; leprieurii 859, 861; var juruana 862, 863, 866; lindbladii 842; ludens 840; meliae 1050-1058, f 1052, f 1053; mesotalpae 852, 856-858; montanus 855; nidulans 380; palustris 1050, 1051, f 1052, f 1053, 1055 1056; pargamenus 150, 152, 842; picipes 380, 523, 916; pinsitus 835, 838; pocula 862; pubescens 150; puttemansii 865, 866; sector 839, 840; var cubicola 839; var schizodes 839; var subrufus 839; var zonarius 839; seminigrita 862, 866; sericeohirsutus 835; spraguei 1050, 1051, 1056; squamosus 861; subelegans 859, 861; submurinus 1055; sulfureus 150; talpae 851, 852, 855-858; tener 835; tephromelas 862; trichomallus 842; tristis 844, 847; tulipiferus 150, 380, 915; versicolor 150, f 151, 152, 606; villosus 833, f 835, 837, 838, 842; vinosus 844, 845, 847; volvatus 202; wrightii 863, 865, 866; xerophyl-laceus 845, 847  
 Polysphondylium 24  
 Polystictus 373, 374, 838, 844; badius 845; barbatulus 836; consobrinus 836; cryptomeriae 836; expansus 835; floridanus 840; friesii 839; fulvocinereus 842; gibberulosus 835; hypothaeus 836; jamaicensis 836; leprieurii 859; ludens 840; mol-lerianus 845; nebularis 840; oniscus 840; pinsitus 838, 839; ravenalii 840; sector 839; var cubicola 839; var schizodes 839; tener 836; umbonatus 836; versicolor 442; villosus

- 833; *vinosus* 844; *xanthopus* 545;  
*xerophyllaceus* 845
- Poria* *alachuana* 380; *carbonica* 606;  
*eupora* 380; *ferruginosa* 380; *in-*  
*crassata* 606, f 607, 608; *lenis* 380;  
*monticola* 606; *mutans* 916; *nigra*  
1056; *nigrescens* 380; *overholtsii*  
380; *pannocincta* 916; *radiculosa*  
380; *sanguinolenta* 523; *spissa* 380,  
916; *tenuis* 380; *trachyspora* 380;  
*undata* 380; *unita* 380; *versipora*  
380; *xantha* 606
- Porodiscus* *porodiscifer* 862
- Poronidulus* *conchifer* 380, 916
- Porotheleum* *fimbriatum* 916
- Preussia* *typharum* 830
- Prosopodium* 367, 368; *arrabidaea* 369;  
*viegasii* 369
- Protosteliopsis* 7, 11, 21, 25-28; *fimi-*  
*cola* 23, f 23
- Protostelium* 2, 7, 11, 14, 21, 25-28;  
*arachisporum* 15, 17, 19, f 19; *fimi-*  
*cola* 23; *mycophaga* 1, 6, 14, 15,  
f 17, 17, 26; *var major* 17
- Prototrichia* 1075, 1080; *metallica* 1076,  
f 1077, 1078
- Psathyrella* 916; *hydrophila* 916
- Pseudogymnoascus* *vinaceus* 480
- Pseudohydnum* *gelatinosum* 380, 916
- Pseudomonas* *aeruginosa* 23; *fluorescens*  
23
- Pseudoplectania* *nigrella* 522
- Pseudostemphylium* 67, 68, 82; *consor-*  
*tiale* 84; *lanuginosum* 80; *radicinum*  
90
- Psilocybe* *caerulipes* 916
- Psilopezia* *babingtonii* 379, 914; *diligata*  
914; *nummularia* 522
- Pterula* 456
- Ptychogaster* 606
- Puccinia* 420; *aberrans* 264; *acrophila*  
265; *alp-coronata* 570; *anemones-*  
*virginianae* 380; *baldensis* f 52, 53,  
55; *blasdalei* 53; *blyttiana* 265;  
*brachypodii* 47; *brachypus* *var*  
*loliiphila* 49; *caricis* 585; *clematidia*  
51; *connersii* 472; *conspicua* f 52,  
53-55; *corniculata* 572; *coronata*  
569, 570, 571, 572, 577, 585; *coro-*  
*nata-bromi* 570; *coronata-elaeagni*  
570; *coronifera* 570; *cryptica* 51;  
*cynodontis* 576, 577; *delphinii* 269;  
*dioicae* 380; *erikssonii* 572; *excur-*  
*sionis* 265; *festucae* 570, 571; *frago-*  
*soi* 47, 50, 51; *gaudiniana* f 49, 49-  
51; *gentianae* 265; *gibberosa* 571;  
*graminis* 55, 523, 571, 916; f *sp*  
*tritici* 59; *heucherae* 266; *holcicola*  
49, 50; *holcina* 47-57, f 49; *hydro-*  
*phylli* 269; *subsp hydrophylli* 266,  
267, f 268; *subsp mertensiae* 266,  
267, f 268; *ifraniana* 49, f 49, 51;  
*koeleriae* 47, 49, 54; *kummeri* 53,  
54; *laguri* 49, 50; *laguri-chamaemoly*  
49, f 49, 50; *liatridis* f 52, 53, 54,  
55; *loli* 570; *lolicola* 49; *loliina*  
49; *longirostris* 571; *malvacearum*  
585; *marylandica* 380; *mcclatchiana*  
523; *melicae* 572; *menthae* 380,  
523; *mertensiae* 266; *mesneriana*  
570, 571; *microspora* 917; *oxyriae*  
267; *paraphysata* 49; *petasiti-melicae*  
53, 54; *petasiti-poarum* 53, 55;  
*petasiti-pulchellae* 53; *physostegiae*  
380; *pimpinellae* 523; ***plumasensis***  
267, f 268, 269; *poae-alpinae* 53;  
*poae-nemorialis* 47; *poae-sudeticae*  
47; *poae-trivialis* 53, 55; *poarum*  
47-57, f 52, 585; *polygoni-amphibii*  
380; *praegracilis* 572; *pseudo-myuri*  
47, 51; *punctata* 380; *ranunculi* 265;  
*recondita* 47, 53, 56, 380, 523, 917;  
*rectata* 270; *rhaetica* 269; *romanzof-*  
*iae* 265; *rubigo-vera* 50; f  
*koeleriae* 50; *rusa* *var leptoticha*  
f 268, 270; *var rusa* f 268, 270;  
*schismi* 47, 51; *senecionis* 271;  
*sieversiae* 271; *solheimii* 266; *strii-*  
*formis* 56; *subcircinata* 271; *tami-*  
*nensis* 53, 54; *tatrensis* 271; *tre-*  
*leasiana* 271; *veratri* 272; *vesicu-*  
*losa* 270; *violae* 380; *volkartiana*  
572; *vulpiac-myuri* 49, 51; *vulpiana*  
49, 51; *windsoriae* 380
- Pucciniastrum* *agrimoniae* 380; *epilobii*  
523; *hydrangeae* 380
- Pulveroboletus* *retipes* 917
- Pulvinia* *discoidea* 379; *globifera* 379
- Pulvinula* 379
- Pustularia* 1029
- Pycnidophora* *dispersa* 830
- Pycnoporus* 198; *cinnabarinus* 380, 917
- Pyronema* 630, 1018-1033; *domesticum*  
1018-1033, f 1022, f 1023, f 1025,  
f 1026, f 1028
- Pythium* 93, 274-278, 330, 408-410, 414,  
589, 593, 664, 667, 668, 870-877, 922-  
924, 943-945, 953; *aphanidermatum*  
871, 873, 945, 946; *coloratum* 871  
873, f 874; *debaryanum* 277, 658-670  
f 661, f 666, 870-876, f 874, 943, 948-  
952; *dissotocum* 871, 873; *irregular-*  
*um* 870-877, f 874, 943-952, f 947, f 949  
f 951; *mamillatum* 871, 873, f 874,  
876, 945, 946; *oligandrum* 945, 946;  
*pareocandrum* 871, 873, f 874, 876,  
943; *polymorphon* 870-877, f 874,  
950; *pyrilobum*, 871, 873; *spinosum*  
943-946, 948, 950; ***sylvaticum*** 274,  
f 275, f 276, 277, f 591, f 592; *toru-*  
*losum* 871, 873, f 874; *ultimum* 871,  
873, 875, 943-946, 948; *violae* 871,  
873, f 874

- Quaternaria quaternata 914
- Radiigera atroleba 523
- Radulomyces 208
- Radulum 195, 208; aeternum 195; ben-  
nettii 193; corallinum 193; epi-  
leucum 193; hydnum 193, 194, 202,  
f 203, f 204, 205, 208; molare 192,  
194, 208; orbiculare 193-198, 208;  
quercinum 208; radula 193, 194,  
196, 208
- Raffaella 981, 983, 1010, 1011; ambro-  
siae 983, f 1001, 1010, 1011; **cana-  
densis** f 988, 1010, **1010**, 1011;  
**tritirachium** 980, 983, f 987, 1010,  
**1013**, 1014; xylebori 1010
- Ramaria 39, 768-775, 780, 786, 795, 799,  
801; apiculata 769, 799; botrytis  
778; botrytoides 772, 790; conjuncta  
774; crispula 769; divaricata 779;  
fennica 777; formosa 917; fumigata  
777, 781; gracilis 798; grandis 783;  
longicaulis 785; myceliosa 787; ob-  
tusissima 770, 788; ochraceo-virens  
799; pusilla 794; secunda 778;  
stricta 44, 380, 769, 797; suecica  
774; vestitipes 798; xanthosperma  
800
- Ramaricium 39
- Ramariopsis 771, 772, 780, 798; asterella  
798; crocea 772; kunzei 772, 798;  
vestitipes 771
- Ramularia oxalidis 523
- Ravenelia 391
- Resupinatus violaceofulvus 506
- Reticularia lycoperdon 127, 131, 522;  
splendens 912
- Rhinotrichum 934; macrosporum 150,  
f 151, 152
- Rhizidiomyces 145, 664
- Rhizina undulata 914
- Rhizoclostrum aurantiacum 409, 411
- Rhizoctonia 371
- Rhizophlyctis 408-411, 525
- Rhizophydium 408-412; fragilariae 411-  
414; horizontale 414; planktonicum  
411, 412, 414; sphaerotheca 1093
- Rhizopogon 457
- Rhizopus 522, 923; arrhizus 522; nigri-  
cans 492-500, f 499; stolonifer 60-64
- Rhodophyllus 917; cuspidatus 917;  
griseocyanus 917; luteus 917; por-  
phyrophaeus 917; rhodopolius 917;  
salmonaeus 917; sericeus 917; stric-  
tius 917
- Rhodotorula 339, 523, 734; glutinis 343,  
345; mucilaginis 3, 17; rubra 339,  
341, 343, 346
- Rhytisma punctatum 522
- Riessia minima 719; naumovii 719;  
semiophora 718-722, f 720
- Robillarda 895, 896
- Rosellinia f 401; limoniispora 830;  
subiculata 379
- Russula aeruginosa 917; brevipes 917;  
cinerea 917; compacta 917; delica  
917; densifolia 917; foetens 380,  
917; laurocerasi 917; mariae 917;  
nigricans 380, 917; paludosa 917;  
pectinatoides 917; xerampelina 917
- Rutstroemia 120, 469, 471; longipes 379,  
914; luteo-virescens 379; macro-  
spora 914; f macrospora 379; petio-  
lorum 914; pruni-serotinae 379, 914
- Sabouraudites gypseum 33
- Saccardia f 401
- Saccharomyces 339, 374, 431, 671, 672,  
684; carlsbergensis 734; cerevisiae  
443, 492-496, 500, 643
- Saccobolus 528, f 530, 1020; kerverni  
527-532
- Saprolegnia 409, 410, 414, 431-445, 526;  
delica 432-442, f 434, f 437, f 438,  
f 439, f 440; diclina 410, 414
- Sapromyces 593
- Sarcinomyces 653, 655; albus 656;  
crustaceus 655, 656; inkin 653-657,  
653, f 655
- Sarcoscypha 307, 309, 379; colensoi 315;  
occidentalis 317; tetraspora 316
- Sartorya fumigata 694
- Scenedium friesianum 836; sericeum 835
- Schizochytrium 525
- Schizophyllum commune 150, 152, 380,  
610-622, f 617, f 618, 917
- Schizoplasmodiopsis** 7, 11, 19, 23-27;  
**pseudoendospora** 19, f 19, 20
- Schizoplasmodium 7, 11, 14, 21, 25-27;  
cavostelioides 5, 6, 11, f 13, 15;  
gracile 6, 11, 14, f 17; ovatum 5, 6,  
11-14, f 13, f 25
- Schizostoma f 401
- Scleroderma aurantium 917; lycoper-  
doides 380
- Sclerotium bataticola 971
- Scopulariopsis 73, 734
- Scutellinia 379, 914; erinaceus 379, 914;  
scutellata 379, 522, 914
- Sebacina incrustans 380, 917
- Seismosarca hydrophora 379
- Sepedonium chlorinum 917; chryso-  
spermum 381, 523, 917
- Septobasidium 705
- Septoria oxalidis 523; smilacinae 381;  
symphoricarpi 523; violae 917
- Sepultaria arenosa 914
- Siphonaria 408-411
- Sistotrema radula 192
- Smittium 483; culisetae 172-182, f 177,  
f 179
- Solarina f 401
- Solenia candida 917; fasciculata 917

- Sordaria fimicola 230, 232  
 Sorosporium 391, 395; **linearis** 394;  
   pachycarpum 390, f 393, 395  
 Spathularia clavata 914  
 Spegazzinia f 401  
 Sphaeronema 896; acerinum 917  
 Sphaeronemella fimicola 917  
 Sphaerophorus globosus 524  
 Spicaria violacea 879  
 Sporidesmium f 401; alternariae 82;  
   polymorphismum var chartarum 82  
 Sporidiobolus 14, 17  
 Sporobolomyces 17; roseus 337-348,  
   f 341, f 343, f 345; salmonicolor 734  
 Sporormia obliquisepta 830  
 Sporothrix schenckii 734  
 Stagonospora 895, 896  
 Stamnaria americana 633  
 Starkeyomyces koorchalomoides 896, 897  
 Steccherinum adustum 380; fimbriatum  
   380; ochraceum 380, 917; rawakense  
   380; septentrionale 917  
 Stemonitis 104, 105, 111, 524; axifera  
   132, 135, 522, 912; flavogenita 912,  
   936; fusca 132, 378, 522, 912; her-  
   batica 725; pallida 132, 135; smithii  
   111; splendens 378  
 Stemphyliopsis 72  
 Stemphylium 67-91, f 70, f 401, 523;  
   sect Eustemphylium 67, 68; sect  
   Pseudostemphylium 67, 87; subg  
   Pseudostemphylium 82; alternariae  
   82; atrum 79; botryosum 68, 75,  
   f 76, 86, 87; var botrytis 76, 77; var  
   uocladium 76, 77; consortiale 84,  
   85; lanuginosum 67, 68, 71, 80-82,  
   87; radicinum 90; solani 732, 733;  
   triglochinicola 72  
 Stephanoma strigosum 381  
 Stephensia 819, 829; bombycina 827,  
   829; shanori 819-832, f 823, f 825;  
   sumatrana 819, 829  
 Stereocaulon tomentosum 524  
 Stereum 380, 917; cinerascens 380; com-  
   plicatum 380, 917; fasciatum 380;  
   hirsutum 917; ostrea 380; rubigino-  
   sum 1039; sanguinolentum 606; stri-  
   atum 381, 917; tabacinum 1039  
 Sticta anthraspis 524; pulmonaria 524;  
   radiata 379  
 Stilbella 523, 917  
 Stilbum tomentosum var ovalisporum  
   523; zacalloxanthum 345  
 Stipella vigilans 487  
 Streptomyces aureus 492, 494, 499;  
   madurae 735; pelletieri 735  
 Strobilomyces floccopus 381, 917; stro-  
   bilaceus 917  
 Strossmayeria basitricha 914  
 Suillus amabilis 361-367, f 364, f 365;  
   americanus 917; granulatus 917;  
   subsp snellii 365; lakei 361-367,  
   f 364, f 365, f 366; luteus 366; piper-  
   atus 917; placidus 917  
 Syncephalastrum 734  
 Synchytrium decipiens 378; endobioticum  
   417  
 Syzygites megalocarpus 60-65, 378  
  
 Talaromyces wortmanni 896  
 Taphrina castanopsidis 522; potentillae  
   914  
 Teichospora obducens 914  
 Terfezia leonis 829  
 Tetrachaetum elegans 524  
 Tetracadium marchalianum 381, 524  
 Tetracrium 597  
 Tetraploa aristata f 401, 402  
 Texosporium 548  
 Thamnidium elegans 150, 522  
 Thanatephorus cucumeris 420  
 Thecaphora 389, 391  
 Thelebolus stercorearius 914; zukalii 914  
 Thelephora albidobrunnea 381; antho-  
   cephala 917; kunzei 1046; luteo-  
   badia 1046; undulata 1039  
 Thermoascus aurantia 927, 928  
 Thielaviopsis basicola 150  
 Thielavia terricola 896  
 Thraustochytrium 525  
 Thyrospora radicina 90  
 Thyrostromella f 401  
 Tilmadoche 649  
 Tolyposporella 389-396; brunkii 390,  
   394; chrysopogonis 389-391, f 392;  
   crepidis-rubrae 395; irregularis 395;  
   linearis 394; nolinae 389-391; obesa  
   390, 394; obionum 395; pachycarpa  
   390, 395; semenoviana 395; sporo-  
   boli 390, 394  
 Tolyposporium 389, 391; crepidis-  
   rubrae 395  
 Torpedospora 449  
 Torula alternata 73  
 Torulomyces 716-718; lagena 716, 717;  
   viscosus 716  
 Trabutia 246  
 Trametes corrugata 833; malicola 381;  
   pinsita 835; tristis 844  
 Trechispora candidissima 917; vaga 917  
 Trematosphaeria pertusa 914  
 Tremella reticulata 381, 917  
 Tremellodendron schweinitzii 381  
 Tricelophorus monosporus 381  
 Trichia 378; botrytis 132, 378, 522,  
   523; contorta 912; favoginea 378,  
   912; lutescens 913; persimilis 127,  
   132, 135; pusilla 127, 132; varia 132  
 Trichocladium f 401  
 Trichoderma virgatum 606; viride 524,  
   896  
 Trichoglossum 914; farlowii 914; hir-  
   sutum 914; velutipes 914; walteri  
   914

- Tricholoma sejunctum* 917; *strictipes* 917  
*Tricholomopsis decora* 917; *platyphylla* 381, 917; *rutilans* 381, 917  
*Trichophaea abundans* 60-64; *albospadicea* 522; *bullata* 914  
*Trichophyton* 255-263; *concentricum* 260; *equinum* 734; *evolceanui* 259; *georgiae* 259, 689; *gloriae* f 256, 257, 259, 260, 689; *indicum* 259; *megninii* 260, 734; *mentagrophytes* 260, 694, 734; *var granulosum* 689; *rubrum* 256, 260, 734; *schoenleinii* 32, 260, 734; *simii* 694; *terrestre* 33, 259, 260; *tonsurans* 653, 656, 735; *vanbreuseghemii* 259, 260; *verrucosum* 260, 735; *violaceum* 735, 736  
*Trichoscypha* 309; *sulcipes* 312; *tricholoma* 310  
*Trichosphaeria notabilis* 379; *parasitica* 902  
*Trichosporium tingens* 979, 980, 1007; *var macrosporum* 979, 980, 1007  
*Trichosporon* 653-657, 735; *cutaneum* 656; *inkin* 653, 656  
***Tricornispora* 597; bambusae 597, f 597**  
*Tuber aestivum* 819, 829, 830; *brumale* 819, 829, 830; *var melanosporum* 819; *dryophilum* 828; *excavatum* 819, 828, 829; *puberulum* 828  
*Tubercularia* 896  
*Tuberculariella* 979; *ambrosiae* 979, 1010, 1011; *ips* 979, 980; *sanguinea* 979  
*Tubeufia cerea* 914  
*Tubifera microsperma* 132  
*Tubulicrinis accedens* 523  
*Tulasnella bifrons* 381  
*Tylopilus felleus* 917; *plumbeo-violaceus* 381  
*Tyromyces albellus* 381, 917; *borealis* 917; *semipileatus* 381, 917; *semisupinus* 381; *spraguei* 381; *tephroleucus* 917  
*Ulocladium* 67-91, f 70; ***alternariae* 77, 81, 82, f 82; atrum 71, 77, 79, f 79, 86; botrytis 68, 71, 75-77, f 78; chartarum 77, 88, f 89, 89; con-**  
***sortiale* 77, 84, f 85, 86; lanuginosum 77, 80, f 80, 81, 86; oudemansii 77, 81, 86, f 87; septosporum 77, 87, f 88, 88; tuberculatum 77, f 83, 83**  
*Unguicularia* 522  
*Uredinopsis longimucronata* 523; *pteridis* 523  
*Urnula craterium* 120; *hiemalis* 120  
*Urocystis* 550  
*Uromyces ari-triphylli* 381; *fabae* 523; *halstedii* 572; *hedysari-paniculati* 381; *lespedezae-procumbentis* 381; *minor* 272; *poae* 585  
*Uropyxis* 367, 368  
*Usnea comosa* 524; *dasyopoga* subsp *dasyopoga* 524  
*Ustilago* 389, 391; *brunkii* f 393, 394; *linearis* 394; *scitamina* 921; *striiformis* 921; *violacea* 17, 19  
*Ustilina vulgaris* 379, 522  
*Valsa abietis* 522; *flavovirentis* 252; *pini* 914  
*Vararia* 1035; *investiens* 381  
*Venturia* 420; *inacqualis* 417  
*Verticillidiella* 929, 930; *penicillata* 930  
*Verticillium* 524, 736, 739; *albo-atrum* 736  
***Virgatospora* 538-541; echinofibrosa 538, f 539, f 540**  
*Volvariella bombycina* 917  
*Xerocomus* 381; *badius* 381, 917; *chrysenteron* 917; *illudens* 917; *parasiticus* 917; *subtomentosus* 917  
*Xeromphalina campanella* 381, 917; *kauffmanii* 917  
*Xerotus afer* 861  
*Xylaria* 378, 379; *cornu-damae* 379, 914; *longipes* 379  
*Xylobolus frustulatus* 381  
*Xylosphaera hypoxylon* 914; *longipes* 914; *polymorpha* 914  
*Zignoella fallax* 914  
*Zygorhizidium melosirae* 411, 412, 413; *verrucosum* 1094  
*Zythia* 896

## HOST INDEX

The Host Index includes generic names of hosts and the fungi which are definitely indicated in the text as occurring on a host.

## Abies

- Auricularia auricula* 806, 807  
*Basidiaradulum radula* 195, 197  
*Ceratocystis dryocoetidis* 930  
*Corticium hydnans* 196

## Plectania nannfeldtii 509

## Uredinopsis pteridis 523

## Acer

- Ambrosiella brunnea* 1006; *sulphurea* 996; *xylebori* 990, 992

- Auricularia auricula 805-807
- Ciboria acerina 117
- Dermea acerina 913
- Polyporus meliae 1054
- Rhytisma punctatum 522
- Sporobolomyces roseus 338
- Acmea (animal)
  - Arthropryrenia littoralis 519, 524
- Adenocalymma
  - Dipyxis mexicana 368
- Agrostis
  - Puccinia graminis 916; poarum 54; recondita 917
- Ailanthus
  - Auricularia auricula 805
- Allium
  - Puccinia blasdalei 53; holcina 47, 50
- Alnus
  - Ambrosiella hartigii 999
  - Auricularia auricula 805
  - Hypoxylon deustum 522
  - Melanospora caulnicola 522
  - Ustulina vulgaris 522
- Amanita
  - Hypomyces hyalinus 913
- Amelanchier
  - Pestalotia adusta 917
- Amphicarpa
  - Synchytrium decipiens 378
- Andropogon
  - Curvularia cymbopogonis 891
  - Puccinia coronata 570
  - Tolyposporella brunkii 390, 394; irregularis 395
- Androsace
  - Puccinia volkartiana 572
- Anemone
  - Puccinia anemones-virginianae 380; resecta 270
- Ardisia
  - Asterina 596
- Arisaema
  - Uromyces ari-triphylli 381
- Arrabidaea
  - Dipyxis viegasii 370
- Arrhenatherum
  - Puccinia holcina 49, 50
- Arum
  - Melanotaenium ari 393
- Aster
  - Coleosporium asterum 915
- Asterina
  - Microclava miconiae 596
- Asterionella
  - Rhizophydium 412
  - Zygorhizidium melosirae 412, 413
- Athyrium
  - Uredinopsis longimucronata 523
- Atriplex
  - Tolyposporella obionum 395
- Avellinia
  - Puccinia holcina 50
- Avena
  - Puccinia holcina 50
  - Ulocladium atrum 80
- Balsania
  - Nectriella balsaniae 249
- Bambusa
  - Phyllachora orbicula 596, 598; tjangkoreh 598
  - Tricornispora bambusae 598
- Bauhinia
  - Licea biforis 423
- Berberis
  - Auricularia auricula 806
  - Cumminsia mirabilissima 523
  - Puccinia graminis 571
- Besseyia
  - Puccinia acrophila 265
- Betula
  - Basidiordulium radula 195
  - Fusicoccum gloeosporioides 537
  - Hypoxylon multifforme 295
  - Karschia lignyota 913
  - Lamprospora cec'hquercultii 913
  - Lopadostoma gastrinum 913
  - Melanconis nigrospora 913
  - Ulocladium atrum 79
- Boletus
  - Sepedonium chrysospermum 523
- Brachyelytrum
  - Uromyces halstedii 572
- Brassica
  - Phytophthora capsici 161; parasitica 161
- Brickellia
  - Aecidium arcularium 55
  - Puccinia poarum 54
- Bromus
  - Puccinia recondita 380
- Calamagrostis
  - Puccinia poarum 54, 55
- Caltha
  - Puccinia treleasiana 271
- Campanula
  - Coleosporium campanulae 379
- Carex
  - Puccinia dioicae 380; microspora 917
- Carya
  - Auricularia auricula 806, 807
  - Polyporus meliae 1050, 1054, 1055
- Castanopsis
  - Dothidella janus 522
  - Taphrina castanopsidis 522
- Castanospermum
  - Meripilus talpae 858
- Castilleja
  - Cronartium kamtschaticum 575

- Cedrus  
     *Helotium deodarum* 473  
 Celtis  
     *Auricularia auricula* 807  
 Ceratocystis  
     *Collybia velutipes* 150  
     *Fomes applanatus* 150  
     *Irpex mollis* 150  
     *Lenzites trabea* 150  
     *Pleurotus ostreatus* 150  
     *Polyporus adustus* 149, 150; *arcularius* 150; *cinnabarinus* 150; *hirsutus* 150; *pargamentus* 150; *pubescens* 150; *tulipiferus* 150; *versicolor* 150  
     *Schizophyllum commune* 150  
 Chrysopogon  
     *Tolyposporella* 389; *chrysopogonis* 390  
 Citellus (animal)  
     *Emmonsia parva* 514, 515  
 Citrus  
     *Polyporus villosus* 839  
 Cladonia  
     *Listerella paradoxa* 1078  
 Cleyera  
     *Pythium* 944  
 Climacium  
     *Eocronartium muscicola* 915  
 Coffea  
     *Ambrosiella xylebori* 992  
     *Ceratocystis fimbriata* 212, 222  
     *Hemeleia vastatrix* 918  
 Coix  
     *Curvularia coicis* 889; *sudanensis* 889  
     *Helminthosporium sudanensis* 889  
 Coriolus  
     *Hypomyces polyporinus* 913  
 Corylus  
     *Fusicoccum gloeosporioides* 537  
 Coscinodiscus  
     *Rhizophydium* 412  
 Crataegus  
     *Diplocarpon maculatum* 623-636  
     *Fabraea maculata* 624  
 Crepidotus  
     *Hypocreopsis tremellicola* 913  
 Crepis  
     *Tolyposporella crepidis-rubrae* 395  
 Cribraria  
     *Stilbum tomentosum* var. *ovalisporum* 524  
 Culiseta (animal)  
     *Smittium culisetae* 172  
 Cymbopogon  
     *Curvularia cymbopogonis* 891  
     *Helminthosporium cymbopogi* 891  
 Cynodon  
     *Puccinia cynodontis* 576  
 Cupressus  
     *Licea biforis* 423  
 Daedalea  
     *Hypomyces aurantius* 913  
 Delphinium  
     *Puccinia delphini* 269  
 Deschampsia  
     *Puccinia connersii* 572; *holcina* 50  
 Desmodium  
     *Uromyces hedysari-paniculati* 381  
 Dichanthium  
     *Curvularia robusta* 888  
     *Tolyposporella obesa* 390, 394  
 Dipodomys (animal)  
     *Emmonsia parva* 514, 515  
 Dugaldea  
     *Aecidium conspicuum* 55  
 Echinaria  
     *Puccinia holcina* 50  
 Elaeagnus  
     *Auricularia auricula* 805  
     *Fusicoccum* 535; *elaegni* 537  
     *Puccinia coronata* 570  
 Elymus  
     *Puccinia holcina* 49, 50; *recondita* 523  
 Epilobium  
     *Pucciniastrum epilobii* 523  
 Erigeron  
     *Puccinia excursionis* 265; *rusa* var. *leptoticha* 270  
 Euonymus  
     *Auricularia auricula* 805  
 Euphrasia  
     *Cronartium asclepiadeum* 574  
 Eutamias (animal)  
     *Emmonsia parva* 514, 515  
 Exidia  
     *Conidiobolus utriculosus* 698, 702, 706  
 Fagus  
     *Ambrosiella ferruginea* 1002  
     *Auricularia auricula* 805, 806  
 Festuca  
     *Puccinia festucae* 571; *gibberosa* 572; *poarum* 53, 54  
 Ficus  
     *Hyalodothis incrustans* 246  
 Fomitopsis  
     *Hypomyces aurantius* 522  
 Fragilaria  
     *Rhizophydium* 412; *fragilariae* 412, 413, 414  
 Fraxinus  
     *Auricularia auricula* 807, 808  
     *Polyporus meliae* 1054  
 Frommea  
     *Darlucula filum* 917

- Fuligo**  
*Nectriopsis violaceus* 913
- Galium**  
*Puccinia punctata* 380
- Ganoderma**  
*Hypomyces chrysostomus* 379
- Garrya**  
*Phaeociboria garryae* 117
- Gastrolobium**  
*Corethromyces cryptobii* 378
- Gaudinia**  
*Puccinia gaudiniana* 49; *holcina* 50
- Gaultheria**  
*Mycosphaerella gaultheriae* 522
- Gentiana**  
*Cronartium asclepiadeum* 574  
*Puccinia gentianae* 265
- Geoglossum**  
*Nectriella geoglossi* 252
- Geum**  
*Puccinia sieversiae* 271
- Gleditsia**  
*Auricularia auricula* 807  
*Polyporus meliae* 1054
- Grammatocarpus**  
*Cronartium asclepiadeum* 574
- Hackelia**  
*Puccinia hydrophylli* subsp. *mertensiae* 267
- Helenium**  
*Puccinia conspicua* 52; *poarum* 53, 54
- Heracleum**  
*Ostracoderma* 523
- Hibiscus**  
*Auricularia auricula* 805
- Hirneola**  
*Conidiobolus utriculosus* 698, 702, 706
- Holcus**  
*Puccinia holcicola* 49; *holcina* 49, 50
- Hydrangea**  
*Helotium* 378  
*Pucciniastrum hydrangeae* 380
- Hydrophyllum**  
*Puccinia hydrophylli* subsp. *hydrophylli* 267; *plumasensis* 269
- Hymenochaete**  
*Hypocrea rufa* 913
- Hystrix**  
*Phyllachora graminis* 379
- Ilex**  
*Auricularia auricula* 806
- Impatiens**  
*Cronartium asclepiadeum* 574  
*Phialea* 379
- Ipomoea**  
*Ceratocystis fimbriata* 212, 222
- Juglans**  
*Auricularia auricula* 805, 807
- Juniperus**  
*Gymnosporangium globosum* 380  
*Herpotrichia nigra* 902
- Koeleria**  
*Puccinia conspicua* 52; *holcina* 50; *liatridis* 52; *poarum* 54
- Lactarius**  
*Hypomyces lactifluorum* 913
- Lagurus**  
*Puccinia holcina* 50; *laguri-chamaemoly* 49
- Lantana**  
*Protosteliopsis fimicola* 23
- Lappula**  
*Puccinia hydrophylli* subsp. *mertensiae* 267
- Larix**  
*Polyporus meliae* 1054, 1055
- Lathyrus**  
*Uromyces fabae* 523
- Lepus (animal)**  
*Emmonsia parva* 514, 515
- Lespedeza**  
*Uromyces lespedezae-procumbentis* 381
- Liatris**  
*Puccinia liatridis* 52; *poarum* 54
- Linaria**  
*Melanotaenium cingens* 393
- Loasa**  
*Cronartium asclepiadeum* 574
- Lobelia**  
*Entyloma lobeliae* 915
- Lolium**  
*Puccinia holcina* 49, 51
- Lonicera**  
*Puccinia coronata* 570; *festucae* 571; *longirostris* 571
- Lotus**  
*Mycoleptodiscus sphaericus* 971; *terrestris* 971
- Lycopersicum**  
*Ulocladium atrum* 80
- Lysimachia**  
*Phyllosticta steironematis* 917
- Macrocytis**  
*Corollospora maritima* 446
- Madhuca**  
*Lambertella aurantiaca* 122
- Mahonia**  
*Puccinia graminis* 571

- Malus*  
   *Ambrosiella hartigii* 999  
*Mangifera*  
   *Lambertella aurantiaca* 122  
*Manisuris*  
   *Tolyposporella pachycarpa* 390, 395  
*Marasmius*  
   *Coniodobolus mycophagus* 706  
*Melia*  
   *Polyporus meliae* 1054, 1055  
*Melica*  
   *Puccinia erikssonii* 572; *poarum* 54  
*Melosira*  
   *Zygorhizidium melosirae* 413  
*Mentha*  
   *Puccinia menthae* 523  
*Menziesia*  
   *Melasmia menziesii* 522  
*Mertensia*  
   *Puccinia hydrophylli* subsp. *mertensiae* 267  
*Miconia*  
   *Microclava miconiae* 596  
*Monarda*  
   *Puccinia menthae* 380  
*Monotropa*  
   *Colletotrichum dematium* 917  
*Morus*  
   *Auricularia auricula* 805  
*Myosotis*  
   *Puccinia hydrophylli* subsp. *mertensiae* 267  
*Nemesia*  
   *Cronartium asclepiadeum* 574  
*Neotoma* (animal)  
   *Emmonsia parva* 514, 515  
*Nolina*  
   *Melanotaenium nolinae* 391  
   *Tolyposporella nolinae* 390  
*Onychomys* (animal)  
   *Emmonsia parva* 514, 515  
*Ophryosporus*  
   *Puccinia poarum* 54, 55  
*Osmorhiza*  
   *Puccinia pimpinellae* 523  
*Oxalis*  
   *Ramularia oxalidis* 523  
   *Septoria oxalidis* 523  
*Oxyria*  
   *Puccinia oxyriae* 267  
*Paeonia*  
   *Cronartium asclepiadeum* 574  
*Parthenocissus*  
   *Guignardia bidwellii* 378  
*Paspalum*  
   *Puccinia coronata* 570  
*Pedicularis*  
   *Cronartium asclepiadeum* 574;  
     *kamtschaticum* 575  
*Peniophora*  
   *Cephalosporium* 381  
*Peromyscus* (animal)  
   *Emmonsia parva* 514, 515  
*Petasites*  
   *Puccinia poarum* 54  
*Peyritschia*  
   *Puccinia poarum* 54  
*Phleum*  
   *Puccinia graminis* 523; *poarum* 54  
*Phyllachora*  
   *Tricompnospora bambusae* 598  
*Physostegia*  
   *Puccinia physostegiae* 380  
*Picea*  
   *Ambrosiella ferruginea* 1002; *gnat-hotrichi* 986, 990  
   *Auricularia auricula* 806, 807  
   *Basidioradulum radula* 195  
   *Glonium strobilaceum* 522  
   *Herpotrichia nigra* 902  
   *Leptographium penicillatum* 928  
   *Plectania nannfeldtii* 509  
   *Unguicularia* 522  
*Pinus*  
   *Ambrosiella ferruginea* 1002; *gnat-hotrichi* 990; *macrospora* 1007, 1008  
   *Auricularia auricula* 807  
   *Cronartium asclepiadeum* 574, 575; *coleosporioides* 574; *comandrae* 574; *comptoniae* 574; *occidentale* 574; *ribicola* 574, 575, 577; *quercuum* 574  
   *Dothichiza pithyophila* 522  
   *Herpotrichia nigra* 902  
   *Neopectia coulteri* 902  
   *Pezicula livida* 914  
   *Phialophoropsis trypodendri* 1008, 1009  
   *Polyporus meliae* 1054, 1055  
   *Ulocladium septosporum* 88  
   *Valsa pini* 914  
*Platanus*  
   *Ambrosiella sulphurea* 996  
   *Ceratocystis fimbriata* 212, 223  
   *Polyporus meliae* 1054  
*Poa*  
   *Puccinia baldensis* 53; *poarum* 52, 54, 55  
*Polygonum*  
   *Puccinia polygoni-amphibii* 380  
   *Tolyposporella semenoviana* 395  
*Populus*  
   *Ambrosiella sulphurea* 993, 996  
   *Ceratocystis fimbriata* 212, 223, 1102; *populina* 1104; *tremulae* 931, 1102

- Potentilla*  
*Frommea obtusa* 379, 915  
*Phragmidium ivesiae* subsp. *wyomingense* 264  
*Taphrina potentillae* 914
- Prioria*  
*Pestalotia* 419
- Prosimulium*  
*Harpella* 484
- Prunus*  
*Ceratocystis fimbriata* 213, 223  
*Micropera spuria* 917  
*Polyporus meliae* 1054, 1055  
*Pythium* 944
- Pseudotsuga*  
*Basidioradulum radula* 195  
*Raffaella canadensis* 1011
- Pteridium*  
*Uredinopsis pteridis* 523
- Pyrus*  
*Polyporus meliae* 1054
- Quercus*  
*Ambrosiella* 1009; *brunnea* 1006, 1007; *sulphurea* 996  
*Auricularia auricula* 806-808  
*Ceratocystis fimbriata* 213, 223  
*Diderma subincarnatum* 169  
*Helotium rubroflavum* 469  
*Lambertella himalayensis* 120  
*Polyporus meliae* 1054  
*Raffaella ambrosiae* 1012, 1013; *tritirachium* 1013  
*Riessia semiophora* 719  
*Ulocladium botrytis* 78
- Ranunculus*  
*Entyloma microsporum* 523  
*Puccinia blyttiana* 265
- Ravenala*  
*Schizoplasmodiopsis pseudoendospora* 20
- Reithrodontomys (animal)*  
*Emmonsia parva* 514, 515
- Rhamnus*  
*Puccinia coronata* 569, 572; *mesneriana* 571, 573
- Rhizosolenia*  
*Rhizophydium planktonicum* 412, 414
- Rhus*  
*Pileolaria brevipes* 380
- Ribes*  
*Cercospora coalescens* 523  
*Cronartium ribicola* 575
- Robinia*  
*Auricularia auricula* 805
- Rosa*  
*Lambertella viburni* var. *fruticicola* 123  
*Phragmidium rosae-californicae* 523
- Rottboellia*  
*Tolyposporella pachycarpa* 390
- Rubus*  
*Dasyascyphus bicolor* 522  
*Helotium lividofuscum* 472  
*Kuehneola uredinis* 523  
*Phragmidium occidentale* 523
- Ruellia*  
*Cronartium asclepiadeum* 574
- Salix*  
*Auricularia auricula* 805  
*Melampsora abietis-capraearum* 380; *arctica* 264
- Sambucus*  
*Auricularia auricula* 806, 816
- Sanicula*  
*Puccinia marylandica* 380
- Sasa*  
*Broomella miakei* 598
- Sassafras*  
*Phyllosticta sassafras* 381
- Saxifraga*  
*Puccinia heucherae* 266
- Schismus*  
*Puccinia holcina* 51
- Schizanthus*  
*Cronartium asclepiadeum* 574
- Schizostachyum*  
*Phyllachora orbicula* 598
- Scirpus*  
*Puccinia mcclatchiana* 523
- Secale*  
*Exosporium pampeanum* 1097
- Senecio*  
*Puccinia baldensis* 53; *poarum* 54; *senecionis* 271
- Sequoia*  
*Polyporus meliae* 1054, 1055
- Sieversia*  
*Puccinia sieversiae* 271
- Sigmodon (animal)*  
*Emmonsia parva* 514, 515
- Simulium*  
*Harpella* 484; *melusinae* 482; var. *eyziesi* 489
- Smelowskia*  
*Puccinia aberrans* 264
- Smilacina*  
*Septoria smilacinae* 381
- Solidago*  
*Coleosporium asterum* 379
- Sphaerocystis*  
*Dangeardia ovata* 414
- Sporobolus*  
*Melanotaenium sporoboli* 394  
*Tolyposporella sporoboli* 390
- Stemonitis*  
*Verticillium* 524
- Stephanodiscus*  
*Rhizophydium horizontale* 414